ELPARTS

INSTALLATION Connectors I Fasteners I Cable straps I Gaskets+Grommets I Insulating tape I Hoses+Pipes I Cables+Cable connections I Battery accessories I Plug housings I Fuses I Plugs+Sockets I Assortments

herthundbuss.com

RepSolutions



Passt immer!

HERTH+BUSS

“Real-life” implemented improvement process

We, the management are committed to the TQM concept, because we value the trust our customers place in us and want to maintain it in the long term.

We see our relationship with our customers as a partnership which must be constantly improved. As a result, we continuously check even established processes for opportunities for improvement.

And not because anyone is forcing us to do so, because we have met the criteria for the ISO certification for a long time.

Instead, we are motivated by the chance to achieve even better results in our work together and to help our customers to increase their competitiveness and hence secure their long-term success.

That is what we call a “real-life implemented improvement process”, and it is also what our many long-term customers especially appreciate about their cooperation with Herth+Buss.



We are certified according to:

- ISO 9001:2015 Quality management
- ISO 27001:2017 Information Security Management
- DE AEOF 102808 Authorized Economic Operator

Content

	Lead	4 - 7
NEW	NEW in the catalogue	8 - 9
	Cable Repair Sets	11 - 87
	Repair Cables	89 - 105
	Assortments	107 - 123
	Article no. Index	125 - 129

ELPARTS

Electrics I Installation I Tools I Lighting

The specialist in vehicle electrics!

With our Elparts range we offer a comprehensive product spectrum that meets any requirement, from automobiles to commercial vehicles. This is our professional workshop solution and that's why we're always first choice.

Our services for you:

- over 8,900 universal parts
- over 4,000 vehicle-specific parts with 1,200,000 vehicle links
- comprehensive range for all vehicle types
- exactly fitting parts allocation
- professional-quality solutions from Herth+Buss

Passt immer!



ELECTRICS

- Signal devices 
- Signal units 
- Relays+Control units 
- Switches 
- Actuators+Sensors 
- Locking system 
- Voltage transformers 
- Inverter 
- Alternators+Starters 
- Wash water pump 
- Ignition system 
- Heating, Ventilation, Air Conditioning 

INSTALLATION

- Connectors 
- Fasteners 
- Cable straps 
- Gaskets+Grommets 
- Insulating tape 
- Hoses+Pipes 
- Cables+ Cable connections 
- Battery accessories 
- Plug housings 
- Fuses 
- Plugs+Sockets 
- Assortments 

TOOLS

- Release tools 
- Pliers 
- Service+Diagnostics 
- Measuring technology 
- Battery management 
- Processing+Installation 
- Workshop lamps 

LIGHTING

- Headlights 
- Lights 
- Reflectors 
- Warning equipment 
- Connection sets 
- (Lamp) sockets 
- Bulbs 



HERTH+BUSS

» IP CODE

Overview of IP-Code components (extract)

The protection categories are indicated by an abbreviation which is comprised of the letters IP (International Protection) which always remain the same, followed by two code numbers which represent the degree of protection.

The first code number represents the degree of protection against contact and foreign bodies, and the second represents the degree of protection against damage caused by water penetration.

First no.	Level of protection against touch	Level of protection against intrusion of foreign bodies	Second no.	Level of protection against water penetration
0	not protected	not protected	0	not protected
1	back of hand	object with Ø over 50 mm	1	vertical droplets
2	finger	object with Ø over 12,5 mm	2	droplets at 15° tilt
3	tools	object with Ø over 2,5 mm	3	spraying water
4	thin wire	object with Ø over 1 mm	4	splashing water
5	thin wire	dust-protected	4K	splashing water, at high pressure, only for road vehicles
6	complete	dust-tight	5	water jets
X	not checked	not checked	6	powerful water jets
			6K	powerful water jets, at high pressure (flooding), only for road vehicles
			7	temporary submersion
			8	continuous submersion
			9K	for pressure/steam jet cleaning, only for road vehicles, for use with end cap


Example: IP-Code 65

First code number 6 = complete touch protection and dust-protected

Second code number 5 = protected against water jets

» PRACTICAL EXAMPLE

You have found a crimp connector in the Installation Catalogue (Katalog04EN), for example, then you see the corresponding pliers or release tool listed as accessories. Comprehensive information on these tools is then provided in the Tools Catalogue (Katalog08EN).



Catalogue | Article | Accessories | Accessories | Catalogue

» VDA

Installation by specialist only

The VDA working group for suppliers' aftermarket business is the representative of parts manufacturers in the German automotive industry, with their global heads in the aftermarket area. One of the main issues addressed by the group is the use of parts safety to constantly guarantee or increase road safety for drivers.

It has been noted that driver safety can be especially put at risk by improper installation of parts that are intended for installation by a workshop, not unqualified persons.

The aftermarket working group has therefore commissioned a pictogram for "Installation by specialist only". This pictogram for international use can be attached to the packaging of workshop parts for information purposes and indicates to the consumer that installation by a specialist workshop is recommended. The pictogram symbol has been developed as part of a market research study and successfully tested for clear understanding in a range of countries.

VDA | Verband der Automobilindustrie



» LEGAL INFORMATION

With the publication of this catalogue, all previous offers lose their validity. Only our order confirmation shall be relevant for the subject matter of the contract. We shall supply exclusively on the basis of the latest version of our general conditions of sale and delivery.

The catalogue is intended for the commercial sector only. All information in this catalogue has been carefully researched and reproduced. Technical modifications in the course of further development and variations in the shape, colour and the allocation of article numbers for each product described are reserved. In particular, we do not guarantee the complete consistency of the illustrations with the product. Claims for compensation due to printing errors or other incorrect and/or incomplete information are excluded, unless we are liable for intent or gross negligence or damages are due for bodily injury, loss of life or damage to the health of a person.

The reproduction of genuine part numbers or competitor article numbers is for the purposes of comparison only. The article numbers listed in this catalogue are the intellectual property of Herth+Buss Fahrzeugteile GmbH & Co. KG. Furthermore, we retain all rights for the documents. Reproduction, even in part, is only permitted with our prior written permission.

The products supplied by us may only be used for their intended purpose. Fitting must only be performed by trained specialists.

New in the catalogue!

NEW 76 ARTICLES!

Description	Article number	Page
Cable Repair Sets		
Cable Repair Set	51277975	13
Cable Repair Set	51277346	17
Cable Repair Set	51277335	18
Connecting Cable, camshaft adjuster actuating solenoid	51277375	27
Cable Repair Set	51277310	28
Cable Repair Set	51277333	29
Cable Repair Set	51277337	29
Cable Repair Set	51277347	30
Cable Repair Set	51277351	30
Cable Repair Set	51277352	30
Cable Repair Set	51277353	31
Cable Repair Set	51277371	32
Cable Repair Set	51277400	34
Cable Repair Set	51277416	35
Cable Repair Set	51277417	35
Cable Repair Set	51277421	35
Cable Repair Set	51277447	38
Cable Repair Set	51277457	38
Cable Repair Set	51277322	43
Cable Repair Set	51277338	43
Cable Repair Set	51277348	44
Cable Repair Set	51277358	44
Cable Repair Set	51277404	45
Cable Repair Set	51277405	45
Cable Repair Set	51277406	46
Cable Repair Set	51277415	46
Cable Repair Set	51277427	47
Cable Repair Set	51277441	48
Cable Repair Set	51277452	48
Cable Repair Set	51277459	48
Cable Repair Set	51277460	48
Cable Repair Set	51277462	48
Cable Repair Set	51277463	49
Cable Repair Set	51277323	53
Cable Repair Set	51277336	53
Cable Repair Set	51277359	53
Cable Repair Set	51277368	54
Cable Repair Set	51277355	59
Cable Repair Set	51277410	59
Cable Repair Set	51277420	59

Description	Article number	Page
Cable Repair Set	51277448	60
Cable Repair Set	51277325	65
Cable Repair Set	51277326	65
Cable Repair Set	51277342	66
Cable Repair Set	51277349	66
Cable Repair Set	51277367	67
Cable Repair Set	51277373	67
Cable Repair Set	51277379	67
Cable Repair Set	51277383	68
Cable Repair Set	51277403	69
Cable Repair Set	51277454	70
Cable Repair Set	51277461	70
Cable Repair Set	51277345	73
Cable Repair Set	51277350	74
Cable Repair Set	51277361	74
Cable Repair Set	51277455	75
Cable Repair Set	51277363	78
Cable Repair Set	51277409	78
Cable Repair Set	51277339	80
Cable Repair Set	51277344	80
Aerial Cable	51277430	83
Repair Cables		
Repair Cable	51277391	92
Repair Cable	51277396	104
Repair Cable	51277397	104
Assortments		
Repair Kit, air conditioning	54272015	109
Repair Kit, air conditioning	51272010	109
Repair Kit, air conditioning	51272012	109
Repair Kit, air conditioning	51272014	109
Repair Kit, air conditioning	51272016	109
Repair Kit, air conditioning	51272018	109
Repair Set, wash water line	54271027	112
Repair Set, wash water line	54280003	112
Repair Set, wash water line	54280004	112
Assortment, cable repair set	54277010	119
Assortment, cable repair set	54277040	121
Assortment, cable repair set	54277050	122



FIND MORE INFORMATION!

ELPARTS

ELECTRICS I INSTALLATION I TOOLS I LIGHTING

SPECIALIST FOR VEHICLE ELECTRICS

With our Elparts range, we specialise in vehicle electrics. We cover a wide range of vehicle-related and universal parts for both passenger cars and commercial vehicles. The professional solutions meet the highest demands of modern vehicle electronics and impress with their precise parts allocation.

We always develop our products and solutions in co-operation with the workshops and offer solutions that are tailored to the needs of the workshops. We will continue to be the first place to find specialised vehicle electrics in the future.

herthundbuss.com

HERTH+BUSS





Cable Repair Sets

Adapter Cable Set	40
Adapter cable, thermostat	54
Adapter, antenna cable	82 - 83
Aerial Cable	83
Cable Repair Kit, headlight	79
Cable Repair Set	13 - 64
Cable Repair Set, trailer plug	85 - 86
Connecting Cable, camshaft adjuster actuating solenoid	27 - 44
Plug Housing Set	82 - 83

Cable Repair Set


» REPCAB

Wiring harness repair kits for doors, tailgates and boot lids

With RepCab, the new repair cable set in the Elparts range, faulty cables in the original cable set on doors, tailgates and boot lids can be easily repaired and replaced.
The defective cables are cut out and replaced with the repair cable set with components such as rubber sleeves and grommets. It provides garages with an innovative and cost-effective product for resolving cable damage, with outstanding features including excellent cable quality and easy and quick installation.
Note: The number of conductors in the OE cable set can differ from that of the RepCab.

We provide you with cable sets for all common types of German vehicles and also have sets for Italian and Asian vehicle types in our product range.


- Temperature-resistant
- Specialised



Universal

RepCab

Cable Repair Set



This RepCab UniKit is ideally suited for use on vehicles that have not yet been allocated with a specific RebCab. If there are more than 12 conductors on the vehicle side, two or more UniKits must be used and any superfluous conductors removed if necessary. Easy insertion into the rubber grommet is assured thanks to the attached pulling aid.


Info: with squeeze connector
with cable retractor

Conductor Number	Cable Cross Section mm²	Cable Length mm	DU	Article no.
12	0,5 to 1,5	300	1	**51277930**
		450	1	**51277945**

Accessories	Cross Section mm²	Length mm	see	DU	
Cable stripper Stripper	0,03 to 16	202	Katalog08	1	**95942299**
Crimping Pliers CrimPro 10		155	Katalog08	1	**95942330**
		210	Katalog08	1	**95942331**
Crimping Pliers Insert			Katalog08	1	**95942347**

RepCab

Cable Repair Set



This RepCab UniKit is ideally suited for use on vehicles that have not yet been allocated a specific RepCab. If there are more than 14 conductors on the vehicle side, two or more UniKits must be used and any superfluous conductors removed if necessary. Easy insertion into the rubber grommet in the vehicle is assured thanks to the attached pulling aid.

Info: with squeeze connector
with cable retractor

Conductor Number	Cable Cross Section mm²	Cable Length mm	DU	Article no.
14	0,2 to 2,5	750 NEW	1	**51277975**

Accessories	Cross Section mm²	Length mm	see	DU	
Cable stripper Stripper	0,03 to 16	202	Katalog08	1	**95942299**
Crimping Pliers CrimPro 10		155	Katalog08	1	**95942330**
		210	Katalog08	1	**95942331**
Crimping Pliers Insert			Katalog08	1	**95942347**

YouTube herthundbuss.com/channel



ELPARTS

ELECTRICS I INSTALLATION I TOOLS I LIGHTING

FIND MORE INFORMATION!

INTELLIGENT REPAIR SOLUTIONS

Our RepSolutions offer innovative solutions for everyday workshop problems. The ingenious repair packages are unique on the market and have been developed in close co-operation with garages.

The repair of connectors, washer fluid lines and much more can be easily realised. A unique concept that completely eliminates individual work processes. This saves garages valuable time and costs in their day-to-day work.


herthundbuss.com

HERTH+BUSS

Cable Repair Set


RepCon
Page 17


RepCon
Page 17


RepCon
Page 17


RepConSuperseal
Page 18


RepCon
Page 18

» NOTE

With immediate effect you will find the RepCons from Herth+Buss under **"Cables"** in the standard electronic parts catalogues.


TecDoc

» REPCON


Plug repair kits

With RepCon, damaged plug connections in the vehicle can be repaired and replaced easily. The required crimp connectors (including cable which has already been crimped) are included in the scope of supply. Our portfolio of products in the Elparts range includes plug repair kits for a wide variety of vehicle applications, including plug connections on:

- Licence plate lights, headlights, combination rearlights
- Coil-on-plug ignition coils, injector nozzles, glow plugs
- Level sensors on xenon headlights
- EGR valves, heater fan motors
- Parking sensors, lambda sensors and air mass sensors



»REPAIR KIT OVERVIEW



Alternator
51277252 51277276 51277297

Mass air flow meter
51277288 51277303 51277308 51277317

Wheel speed sensor
51277160 51277259 51277307 51277337

Lambda sensor
51277251 51277253 51277259

Windscreen wiper motor
51277250

Parking sensor
51277272 51277273 51277318 51277340

Side marker light
50390266 51277265

Headlights
51277160 51277162 51277280 51277281 51277282

Injector valve
51277163 51277164 51277266 51277267 51277275 51277328

EGR valve
51277264 51277270 51277336

Interior heating fan
51277183 51277319 51277320 51277321 51277333

Combination rearlight
51277155 51277260 51277261 51277263 51277277 51277311 51277325 51277326

1 pole

RepCon

Cable Repair Set



This repair kit can be used on almost all vehicles with a diesel engine.

Number of Poles: 1
Temperature range: -25 to +140 °C

Info: with seal
with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
2,5	200		1	**51277179**
			1	**51277180**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252553**

RepCon

Cable Repair Set



This repair kit can be used on almost all vehicles with a diesel engine.

Number of Poles: 1
Temperature range: -25 to +140 °C

Info: with holder
with seal
with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
2,5	200		1	**51277285**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 1
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with gaskets/seals
with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
2,5	150	 NEW	1	**51277346**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252553**

RepCon Superseal

Cable Repair Set



Number of Poles: 1
Temperature range: -25 to +125 °C
Contact surface: Tin-plated

Info: with cable tie
with copper casing
with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	80	Opel Fiat Peugeot Alfa Romeo Lancia Suzuki Ford Citroen	 NEW	1	**51277335**

RepCon

Cable Repair Set



Number of Poles: 1
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
1,5	0,5	500	VAG		1	**51277365**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					1	**51277208**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

2 pole



RepCon
Page 20


RepCon
Page 21


RepCon
Page 21


RepCon
Page 21


RepCon
Page 21


RepCon
Page 22


RepCon
Page 22


RepConSuperseal
Page 22


RepCon
Page 23


RepCon
Page 23



RepCon
Page 24


RepCon
Page 25


RepCon
Page 25


RepCon
Page 25


RepCon
Page 26


RepCon
Page 26


RepCon
Page 26


Page 27


Page 27


RepCon
Page 28


RepCon
Page 28

H8 | H11


RepCon
Page 28


H9


RepCon
Page 28



RepCon
Page 29



RepCon
Page 29


RepCon
Page 29


RepCon
Page 29


RepCon
Page 30


RepCon
Page 30


RepCon
Page 30


RepCon
Page 30


RepCon
Page 31


RepCon
Page 31


RepCon
Page 31


RepCon
Page 31


RepCon
Page 32


RepCon
Page 32


RepCon
Page 32


RepCon
Page 33


RepCon
Page 33

RepCon
Page 33

Page 34


RepCon
Page 34


RepCon
Page 34


RepCon
Page 35


RepCon
Page 35



RepCon
Page 35



RepCon
Page 35



RepCon
Page 36


RepCon
Page 36


RepCon
Page 36


RepCon
Page 36


RepConEconoseal
Page 37


RepConEconoseal
Page 37


RepCon
Page 37


RepCon
Page 37


RepCon
Page 38


Page 38

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with heat shrink tubing
with pipe





Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	0,75	500	VAG		1	**51277160**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					2	**51277209**

Accessories	Socket Width mm	see	DU	
Cable Repair Set RepCon (VAG)	1,6	Page 26	1	**51277296**
Release tool, housing (VAG | FEP | Opel | Fiat)		Katalog08	1	**95945445**
Squeeze Connector Crimpseal II		Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Silver-plated

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	500	BMW Fiat Opel Suzuki		1	**51277163**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		1,5 to 2,5	Katalog04	50	**50252553**

RepCon

Cable Repair Set




Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	500	Fiat Opel Suzuki		1	**51277164**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		1,5 to 2,5	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Fitting Position: to interior blower

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
4	150	Citroen Fiat Lancia Opel Peugeot		1	**51277181**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		3 to 6	Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -40 to +125 °C
Material: Silicone

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
0,64	300	0,5	BMW Ford Hyundai Kia		1	**51277249**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Version	Restriction	Connector	DU	Article no.
0,75	175	Jumper Ducato Boxer	Citroen Fiat Peugeot		1	**51277252**
Content					**QU**	
Repair Cable RepLine (AMP Tyco JPT)					2	**51277203**
Accessories			**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II			0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing
with gaskets/seals
with heat shrink tubing
with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	500	VAG MAN Scania		1	**51277260**
Content				**QU**	
Repair Cable RepLine (AMP Tyco JPT)				2	**51277203**
Accessories		**Socket Width mm**	**see**	**DU**	
Plug Distributor MDK 3 Plus		2,8	Katalog04	2	**50290171**
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

1



RepCon Superseal

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Fiat Lancia		1	**51277265**
Content			**Socket Width mm**	**QU**	
Crimp Connector Superseal (TE Connectivity)			1,5	2	**50253327**
Plug Housing Superseal (TE Connectivity)				1	**50290826010**
Sealing-/Protection Plugs ELA | Superseal (AMP Tyco ELA 5,5)				2	**50282048**
Accessories		**Socket Width mm**	**see**	**DU**	
Plug Distributor Superseal		1,5	Katalog04	1	**50390615066**
Plug Housing Superseal (TE Connectivity)			Katalog04	10	**50290836010**
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with hose
with pipe





Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	0,75	500	Mercedes-Benz VAG Scania		1	**50390266**

Content	Cross Section mm²	QU	
Plug Housing		1	**50390662**
Repair Cable RepLine (AMP Tyco JPT)		2	**51277203**
Sealing-/Protection Plugs ELA (AMP Tyco ELA 5,2)	0,35 to 1	2	**50282080**

Accessories	Cross Section mm²	see	DU	
Release tool, housing (VAG | FEP | Opel | Fiat)		Katalog08	1	**95945445**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**


RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing
with gaskets/seals
with pipe







Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Dacia Nissan Renault Suzuki		1	**51277266**

Accessories	Cross Section mm²	see	DU	
Squeeze Connector Crimpseal II	1,5 to 2,5	Katalog04	50	**50252553**

»KNOW+HOW







Cable repair set, injector valve
Article number: 51277266



Sodered Connector
Article number: 502526*

The problem?
Rough engine operation
If the engine starts to stutter and the engine control lamp flashes, one reason for the rough running of the engine may be the faulty contact with the injectors.


The cause? Leaks on engine
Some vehicle models (with diesel engines) tend to lose diesel or oil on injectors and/or engine seals. The oil then passes over the plugs and cables on the injector and damages them.

Solution: Replacement with the cable repair set
The plug, including contacts and cables, must be replaced. We have a suitable repair kit in the Elparts range for this purpose. All you need to do is connect the repair lines to the cables in the vehicle. We recommend a crimp or soldered shrink connector for the connection (article number 50252641).

Cable repair set, injector valve
Article number: 51277266

RepCon

Cable Repair Set




Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Silver-plated

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	Mercedes-Benz VAG		1	**51277267**
Content				**QU**	
Repair Cable RepLine (KOSTAL MLK 1,2)				2	**51277234**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Fiat Ford Peugeot		1	**51277275**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MT II)				2	**51277209**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Fitting Position: to interior blower

Info: with socket housing with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
4	150	Citroen Fiat Lancia Opel Peugeot		1	**51277278**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		3 to 6	Katalog04	25	**50252554**

RepCon

Cable Repair Set



1



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
4	145	Citroen Dacia Nissan Peugeot		1	**51277291**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		3 to 6	Katalog04	25	**50252554**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with heat shrink tubing
with plug





Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
1,6	0,5	500	VAG		1	**51277296**

Content	QU	
Repair Cable RepLine (AMP Tyco MT II | AMP Tyco MCP 1,5)	2	**51277212**

Accessories	Cross Section mm²	see	DU	
Cable Repair Set RepCon (VAG)		Page 20	1	**51277160**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	150	Renault		1	**51277298**

Content	QU	
Repair Cable RepLine (Sicma 1.5)	2	**51277389**

Accessories	Cross Section mm²	see	DU	
Sensor, crankshaft pulse		Katalog13	1	**70610005**
		Katalog13	1	**70610017**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	150	Nissan Renault		1	**51277299**

Content	QU	
Repair Cable RepLine (Sicma 1.5)	2	**51277389**

Accessories	Cross Section mm²	see	DU	
Sensor, crankshaft pulse		Katalog13	1	**70610008**
		Katalog13	1	**70610026**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

Connecting Cable, camshaft adjuster actuating solenoid









Oil leaking from the camshaft sensor plug is a familiar problem on Mercedes-Benz petrol engines. The fault is design-related and cannot be rectified in the long term by replacing the sensor. Due to the capillary effect, the oil can infiltrate the harness to reach the control unit and eventually cause electronic failure and damage to individual parts. Such damage can be prevented with the Herth+Buss oil- stop cable. Fine copper sleeves have been incorporated into both lines of the oil-stop cable in order to prevent the oil from spreading. These have subsequently also been wrapped in heat-shrink tubing. We recommend installing one oil-stop cable on every M111 (engine code), two on every M271 and as many as four on every M272 (V6).
How long does it take to fit the oil-stop cable? Fitting it will take a maximum of five minutes. Detach the harness from the sensor before inserting the oil- stop cable from Herth+Buss between the connection on the sensor and the old harness.

Number of Poles: 2
Temperature range: -25 to +125 °C

Info: with gaskets/seals
with cable tie
with copper casing
with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	110	Mercedes-Benz		1	**51277300**

Connecting Cable, camshaft adjuster actuating solenoid



Number of Poles: 2

Info: with central magnet (camshaft adjuster)

Cable Cross Section mm²	Cable Length mm	Restriction		DU	Article no.
1	110	Mercedes-Benz	NEW	1	**51277375**

Content		QU	
Central Magnet, camshaft adjustment		1	**70277300**
Connecting Cable, camshaft adjuster actuating solenoid (Mercedes-Benz)	1	1	**51277300**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Fiat Ford Lancia Peugeot Renault Toyota		1	**51277302**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				2	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	150	Citroen Peugeot Renault		1	**51277304**
Content				**QU**	
Repair Cable RepLine (Sicma 2.8)				2	**51277390**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Bulb Type: H8, H11
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe



Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
0,75	500		1	**51277309**

RepCon

Cable Repair Set

Number of Poles: 2
Bulb Type: H9
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe



Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
0,75	500	 NEW	1	**51277310**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Fitting Position: Between interior blower and series resistor

Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
4	150	Alfa Romeo Renault		1	**51277319**

Accessories	Cross Section mm²	see	DU	
Squeeze Connector Crimpseal II	3 to 6	Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing with gaskets/seals with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	500	Renault Fiat Citroen Peugeot		1	**51277328**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Fitting Position: to interior blower

Info: with socket housing with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
4	150	Citroen Fiat Lancia Opel Peugeot		1	**51277333**

Content	Cable Cross Section mm²	QU	
Cable Repair Set RepCon (Citroen | Fiat | Lancia | Opel | Peugeot)	4	1	**51277181**
		1	**51277278**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing with gaskets/seals with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	Alfa Romeo Chevrolet Fiat Lancia Opel		1	**51277337**

Accessories	Cross Section mm²	see	DU	
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,64	0,75	200	Renault Nissan Opel		1	**51277343**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Silver-plated
Info: with socket housing with gaskets/seals with pipe

Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
175	0,75	BMW	 NEW	1	**51277347**
Content				**QU**	
Repair Cable RepLine (KOSTAL MLK 1,2)				2	**51277234**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing with gaskets/seals with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	BMW	 NEW	1	**51277351**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				2	**51277207**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Silver-plated
Info: with socket housing with gaskets/seals with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	BMW Mercedes-Benz	 NEW	1	**51277352**
Content				**QU**	
Repair Cable RepLine (KOSTAL MLK 1,2)				2	**51277234**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with heat shrink tubing
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction		DU	Article no.
1,5	0,5	500	VAG	NEW	1	**51277353**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					2	**51277208**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	VAG		1	**51277356**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				2	**51277206**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252555**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	VAG		1	**51277357**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				2	**51277206**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Material: Silicone

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	500	VAG		1	**51277364**
Content				**QU**	
Repair Cable RepLine (AMP Tyco JPT)				2	**51277203**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +125 °C
Contact surface: Silver-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
2,8	500	1	BMW Mercedes-Benz		1	**51277370**
Content					**QU**	
Repair Cable RepLine (KOSTAL SLK 2,8)					2	**51277236**
Accessories				**see**	**DU**	
Cap, cable gland (KOSTAL SLK 2,8)				Katalog04	10	**50391111**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +125 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
2,8	500	1	BMW Mercedes-Benz	 NEW	1	**51277371**
Content					**QU**	
Repair Cable RepLine (KOSTAL SLK 2,8)					2	**51277236**
Accessories				**see**	**DU**	
Cap, cable gland (KOSTAL SLK 2,8)				Katalog04	10	**50391111**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -40 to +125 °C

Info: with socket housing
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restric-tion	Connector	DU	Article no.
1,5	175	1	Ford	 NEW	1	**51277380**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set





Number of Poles: 2
Temperature range: -40 to +125 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
2,8	500	1,5	VAG		1	**51277382**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -40 to +125 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
1,5	500	0,75	VAG		1	**51277384**

Content	QU	
Repair Cable RepLine (AMP Tyco MCP 1,5)	2	**51277215**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	500	VAG		1	**51277399**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

Cable Repair Set



Oil leaking from the setting magnet for camshaft adjustment is a familiar problem on Mercedes-Benz petrol engines. The fault is design-related and cannot be rectified in the long term by replacing the setting magnet or the camshaft sensor. Due to the capillary effect, the oil can infiltrate the harness to reach the control unit and eventually cause electronic failure and damage to individual parts. Such damage can be prevented with our oil-stop cable. Fine copper sleeves have been incorporated into both lines of the oil-stop cable in order to prevent the oil from spreading. These have subsequently also been wrapped in heat-shrink tubing. Our recommendation: For vehicles with the engine codes M272 and M273 (V6 and V8), install four oil-stop cables. Please check in advance in the usage list in our online catalogue whether our items are actually suitable for your vehicle.
How long does it take to fit the oil-stop cable? Fitting it will take a maximum of five minutes. Detach the harness from the sensor before inserting the oil- stop cable from Herth+Buss between the connection on the sensor and the old harness.

Number of Poles: 2
Temperature range: -25 to +125 °C
Contact surface: Silver-plated

Info: with cable tie
with copper casing
with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	110	Mercedes Benz	 NEW	1	**51277400**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
9,5	10	200	VAG		1	**51277407**

Accessories	see	DU	
Squeeze Connector	Katalog04	50	**50251035**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
1,5	1	200		1	**51277413**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with socket housing, with gaskets/seals, with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	1	200	Ford Hyundai Kia General Motors		1	**51277414**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with gaskets/seals, with socket housing, with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	2,5	200	Ford Hyundai Kia	 NEW	1	**51277416**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with socket housing, with gaskets/seals, with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	2,5	200	Ford Opel General Motors	 NEW	1	**51277417**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set

Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing, with gaskets/seals, with pipe



Cable Length mm	Cable Cross Section mm²	Connector	DU	Article no.
250	1	 NEW	1	**51277421**

Content	Socket Width mm		QU	
Plug Housing JPT	2,8		10	**50391124**
Repair Cable RepLine (AMP Tyco JPT)		1	10	**51277216**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	2,5	250	VAG		1	**51277431**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	2,5	250	VAG		1	**51277432**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Info: with gaskets/seals, with plug


Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	250	VAG	 NEW	1	**51277433**

Content	Socket Width mm		QU	
Plug Housing	2,8		10	**50390663**
Repair Cable RepLine (AMP Tyco JPT | AMP Tyco MCP 2,8)		1	10	**51277220**

Accessories	Socket Width mm	see	DU	
Cap, cable gland (FEP)	2,8	Katalog04	10	**50391184**
Squeeze Connector Crimpseal II		Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Gold-plated
Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Mercedes-Benz		1	**51277434**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon Econoseal

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Ford		1	**51277435**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon Econoseal

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Ford		1	**51277436**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277443**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277444**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	250	VAG		1	**51277447**

Cable Repair Set



Oil leaking from the setting magnet for camshaft adjustment is a familiar problem on Mercedes-Benz petrol engines. The fault is design-related and cannot be rectified in the long term by replacing the setting magnet or the camshaft sensor. Due to the capillary effect, the oil can infiltrate the harness to reach the control unit and eventually cause electronic failure and damage to individual parts. Such damage can be prevented with our oil-stop cable. Fine copper sleeves have been incorporated into both lines of the oil-stop cable in order to prevent the oil from spreading. These have subsequently also been wrapped in heat-shrink tubing.
How long does it take to fit the oil-stop cable? Fitting it will take a maximum of five minutes. Detach the harness from the sensor before inserting the oil- stop cable from Herth+Buss between the connection on the sensor and the old harness.

Number of Poles: 2
Temperature range: -25 to +125 °C
Contact surface: Silver-plated


Info: with cable tie
with copper casing
with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	110	Mercedes-Benz		1	**51277500**

3 pole


RepCon
Page 40


RepCon
Page 40


RepCon
Page 40


Page 40


RepCon
Page 41


RepConEconoseal
Page 41


RepCon
Page 41


RepCon
Page 42


RepCon
Page 42



RepCon
Page 42


RepCon
Page 43


RepCon
Page 43


RepCon
Page 43


RepCon
Page 43



RepCon
Page 44


RepCon
Page 44


Page 44


RepCon
Page 45


RepCon
Page 45


RepCon
Page 45


RepCon
Page 45


RepCon
Page 46


RepCon
Page 46


RepCon
Page 46


RepCon
Page 46


RepCon
Page 46


RepCon
Page 47


RepCon
Page 47



RepConSuperseal
Page 47


RepCon
Page 47


RepCon
Page 48


RepCon
Page 48


RepCon
Page 48


RepCon
Page 48


RepCon
Page 48


RepCon
Page 49

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Temperature range from: -25 °C
Material: Silicone
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Fiat Citroen Peugeot Ford Lancia		1	**51277272**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				3	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Peugeot Renault Nissan Mercedes-Benz		1	**51277273**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				3	**51277207**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing with pipe

Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
200	0,5	Alfa Romeo Citroen Fiat Ford Opel Peugeot Renault		1	**51277274**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

Adapter Cable Set




Number of Poles: 6
4
Temperature range: -25 to +140 °C
Info: with corrugated pipe

occupied pins	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
3	0,75	150	Fiat Iveco		1	**51277279**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75	700	Mercedes-Benz	GLK-Klasse		1	**51277286**
Content					**QU**	
Repair Cable RepLine (KOSTAL SLK 2,8)					3	**51277236**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon Econoseal

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Ford		1	**51277297**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	250	Citroen		1	**51277305**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	1	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing
with gaskets/seals
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
1,5	0,75	200	VAG		1	**51277307**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					3	**51277230**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with seal
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75	200	Citroen	C3 Pluriel C5 II Break		1	**51277311**
Content					**QU**	
Repair Cable RepLine (Sicma 1.5)					3	**51277389**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with seal
with pipe



Cable Cross Section mm²	Cable Length mm	Version	Connector	DU	Article no.
0,75	200	C3 DS3 208 308 407		1	**51277312**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				3	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing, with seal, with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	BMW		1	**51277318**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				3	**51277207**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe



Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
200	0,75	Alfa Romeo Ford Opel	 NEW	1	**51277322**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Gold-plated
Info: with socket housing, with gaskets/seals, with pipe




Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
0,75	175	 NEW	1	**51277338**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Silver-plated
Info: with socket housing, with gaskets/seals, with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	VAG		1	**51277340**
Content				**QU**	
Repair Cable RepLine (KOSTAL MLK 1,2)				3	**51277234**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	175	BMW		1	**51277348**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	VAG BMW Land Rover		1	**51277358**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				3	**51277206**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252555**

Connecting Cable, camshaft adjuster actuating solenoid



In some models from Alfa Romeo, Fiat, Ford, Opel and Volvo, oil loss on the camshaft sensor connector is not uncommon. Due to the capillary effect, the oil can infiltrate the harness to reach the control unit and eventually cause electronic failure and damage to individual parts. As this is a design-related fault, this cannot be rectified by replacing the sensor. Such damage can be prevented with the Herth+Buss oil-stop cable. Fine copper sleeves have been incorporated into the lines of the oil-stop cable in order to prevent the oil from spreading. These have subsequently also been wrapped in heat-shrink tubing.

Number of Poles: 3
Temperature range: -25 to +125 °C
Contact surface: Tin-plated

Info: with cable tie
with gaskets/seals
with copper casing
with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	100	Alfa Romeo Fiat Ford Volvo Opel		1	**51277366**
Content				**QU**	
Cable Tie				2	**50266491**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +125 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Toyota Lexus		1	**51277369**
Accessories		**Cross Section mm²**	**see**	**DU**	
Squeeze Connector Crimpseal II		0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	0,75	250	VAG		1	**51277372**
Content					**QU**	
Repair Cable RepLine (AMP Tyco JPT)					3	**51277203**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with seal
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	Renault VAG		1	**51277404**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	200	Mercedes-Benz Renault		1	**51277405**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing with seal



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	200	Opel		1	**51277406**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing with seal



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277408**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -40 to +125 °C
Contact surface: Tin-plated
Info: with socket housing with gaskets/seals with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	1	200	Ford		1	**51277415**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -40 to +125 °C
Contact surface: Tin-plated
Info: with socket housing with gaskets/seals with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
2,8	2,5	200		1	**51277418**

RepCon

Cable Repair Set

Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing with gaskets/seals with pipe



Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
1	250		1	**51277422**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal

Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
1	200		1	**51277424**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -40 to +120 °C
Contact surface: Tin-plated

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Renault Opel		1	**51277426**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon Superseal

Cable Repair Set



Number of Poles: 3
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	1	200	Fiat		1	**51277427**

Accessories	see	DU	
Plug Connector Superseal	Katalog04	10	**50281057**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,64	0,75	200	Dacia Fiat Ford Renault Nissan Opel		1	**51277439**

Accessories	Cross Section mm²	see	DU	
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with socket housing with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,64	0,75	200	Ford Opel		1	**51277441**

Accessories	Cross Section mm²	see	DU	
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepCon

Cable Repair Set




Number of Poles: 3
Temperature range: -25 to +140 °C
Info: with gaskets/seals with plug

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277452**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -40 to +125 °C
Contact surface: Tin-plated
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Fiat Ford Opel Peugeot Toyota		1	**51277459**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +180 °C
Contact surface: Tin-plated
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	VW		1	**51277460**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +180 °C
Info: with socket housing with pipe

Cable Length mm	Restriction	Connector	DU	Article no.
175	Ford		1	**51277462**

RepCon

Cable Repair Set



Number of Poles: 3
Temperature range: -25 to +180 °C
Contact surface: Gold-plated


Info: with socket housing
with pipe

Cable Length mm	Restriction	Connector	DU	Article no.
175	PSA Peugeot		1	**51277463**


4 pole


RepCon
Page 50


RepCon
Page 51



RepCon
Page 51



RepCon
Page 51



RepCon
Page 51



RepCon
Page 52



RepCon
Page 52



RepCon
Page 52


RepCon
Page 52


RepCon
Page 53



RepCon
Page 53


RepCon
Page 53


RepCon
Page 53


RepCon
Page 54


RepCon
Page 54


RepCon
Page 54


RepCon
Page 54


RepCon
Page 55


RepCon
Page 55


RepCon
Page 55


RepCon
Page 55

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
2,8	1 to 2,5	250	VAG Fiat Citroen Peugeot		1	**51277161**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (AMP Tyco JPT)	2,8	0,75	1	**51277203**
		1,5	3	**51277395**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**
	Katalog04	50	**50252552**
Release tool, housing (VAG | FEP | Opel | Fiat)	Katalog08	1	**95945445**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1	175	Alfa Romeo Fiat	147 Punto Punto Evo Grande Punto		1	**51277254**
Content					**QU**	
Repair Cable RepLine (Molex Fork PCB 5.0)					4	**51277239**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Fiat Opel Peugeot		1	**51277259**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1,5	200	Citroen Peugeot Renault		1	**51277271**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				4	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1	250	Nissan	Cefiro Maxima Murano		1	**51277276**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	0,75	200	Ford VAG		1	**51277284**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					4	**51277230**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with corrugated pipe

occupied pins	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
3	0,75	150	Citroen Fiat Iveco Peugeot		1	**51277295**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	250	Citroen Peugeot		1	**51277306**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				4	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C

Info: with socket housing
with seal
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75	200	Citroen Peugeot	C3 C5 II C6 407		1	**51277313**
Content					**QU**	
Repair Cable RepLine (Sicma 1.5)					4	**51277389**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe




Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Ford		1	**51277323**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				4	**51277207**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe



Cable Length mm	Restriction	Connector	DU	Article no.
175	BMW Mercedes-Benz VAG		1	**51277336**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252553**

RepCon

Cable Repair Set

Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Silver-plated
Info: with socket housing, with gaskets/seals, with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	VAG		1	**51277341**
Content				**QU**	
Repair Cable RepLine (KOSTAL MLK 1,2)				4	**51277234**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set


Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with gaskets/seals, with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277359**
Content					**QU**	
Repair Cable RepLine (AMP Tyco JPT)					4	**51277216**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with pipe

Socket Width mm	Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
1,5	250	0,75	Renault		1	**51277368**

Content	QU	
Repair Cable RepLine (Sicma 1.5)	4	**51277389**

RepCon

Adapter cable, thermostat



Number of Poles: 4
Temperature range: -25 to 105 °C
Contact surface: Tin-plated
Info: with protection hose

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	300	Fiat Citroen Peugeot		1	**51277385**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Gold-plated
Info: with socket housing, with seal, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277401**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -40 to +125 °C
Contact surface: Tin-plated
Info: with socket housing, with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
1,5	1	200		1	**51277419**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	250	Fiat VAG		1	**51277423**

Content	Socket Width mm		QU	
Plug Housing JPT	2,8		10	**50391127**
Repair Cable RepLine (AMP Tyco JPT)		1	10	**51277216**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set




Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,64	0,75	200	Dacia Nissan Opel Renault		1	**51277440**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 4
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,64	1	200	Ford Opel		1	**51277442**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set




Number of Poles: 4
Temperature range: -25 to +140 °C
Info: with gaskets/seals, with plug

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277453**

5 pole


RepCon
Page 56


RepCon
Page 56


RepCon
Page 57


RepCon
Page 57


RepCon
Page 57


RepCon
Page 57


RepCon
Page 58


RepCon
Page 58



RepCon
Page 58


RepCon
Page 59


RepCon
Page 59


RepCon
Page 59


RepCon
Page 59


RepCon
Page 60

RepCon

Cable Repair Set



Number of Poles: 5
occupied pins: 4
Temperature range: -25 to +140 °C

Fitting Position: Between interior blower and series resistor
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1,5 to 4	150	Citroen Fiat Peugeot	Jumper Ducato Boxer		1	**51277182**
Content					**QU**	
Repair Cable RepLine (Sicma 2.8)					4	**51277390**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	25	**50252554**
				Katalog04	50	**50252553**

RepCon

Cable Repair Set




Number of Poles: 5
occupied pins: 5
Temperature range: -25 to +140 °C

Fitting Position: Between interior blower and series resistor
Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1,5 to 2,5	150	Alfa Romeo Fiat Opel	Mito Grande Punto Punto Evo Corsa D Adam		1	**51277183**
Content					**QU**	
Repair Cable RepLine (Sicma 2.8)					5	**51277390**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252553**
				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	175	Citroen Fiat Peugeot		1	**51277250**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75	175	VAG Fiat	Punto		1	**51277263**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MCON 1,2)					5	**51277227**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1	175	Fiat	Panda Panda Van Punto Punto Van Stilo Stilo Multi Wagon		1	**51277277**
Content					**QU**	
Repair Cable RepLine (Molex Fork PCB 5.0)					5	**51277239**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Fitting Position: Between interior blower and series resistor
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,5 to 4	150	Alfa Romeo Fiat Iveco Lancia		1	**51277283**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	25	**50252554**
			Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Info: with gaskets/seals
with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Alfa Romeo Citroen Fiat Lancia Nissan Opel Peugeot Suzuki Volvo		1	**51277288**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Fitting Position: Between interior blower and series resistor
Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1,5 to 4	150	Citroen Peugeot	C3 Xsara Picasso 206 307		1	**51277301**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252553**
				Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Citroen Fiat Peugeot Renault		1	**51277303**
Content				**QU**	
Repair Cable RepLine (Sicma 1.5)				5	**51277389**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 5
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing
with gaskets/seals
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	0,75	200	VAG		1	**51277308**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MT II)					1	**51277230**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 5
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	250	VAG	 NEW	1	**51277355**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 5
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	2,5	200	Fiat Peugeot Citroen	 NEW	1	**51277410**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252553**

RepCon

Cable Repair Set

Number of Poles: 5
Temperature range: -40 to +125 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
2,8	2,5	200	 NEW	1	**51277420**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 5
Temperature range: -25 to +140 °C
Contact surface: Tin-plated


Info: with socket housing
with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	175	VAG	 NEW	1	**51277448**

6 pole


RepCon
Page 62


RepCon
Page 62


RepCon
Page 62



RepCon
Page 62


RepCon
Page 63


RepCon
Page 63


RepCon
Page 63


RepCon
Page 64



RepCon
Page 64


RepCon
Page 64


RepCon
Page 65


RepCon
Page 65


RepCon
Page 65


RepCon
Page 66



RepCon
Page 66


RepCon
Page 66


RepCon
Page 66


RepCon
Page 67


RepCon
Page 67


RepCon
Page 67


RepCon
Page 67


RepCon
Page 68


RepCon
Page 68


RepCon
Page 68


RepCon
Page 68


RepCon
Page 69


RepCon
Page 69


RepConEconoseal
Page 69


RepConEconoseal
Page 69


RepCon
Page 70


RepCon
Page 70

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Material: Silicone

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	300	BMW Mercedes-Benz VAG		1	**51277162**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MQS)				6	**51277206**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75	200	Fiat	Doblo		1	**51277251**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MCP 1,5)					6	**51277215**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set




Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	Citroen Fiat Peugeot		1	**51277253**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set




Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	175	Citroen Fiat Peugeot		1	**51277255**
Content				**QU**	
Repair Cable RepLine (Molex Fork PCB 5.0)				6	**51277239**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	250	Fiat Lada Dacia Citroen Peugeot Renault		1	**51277261**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	4	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing
with seal
with pipe


Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5	0,75	200	Alfa Romeo Fiat Ford Lancia Opel Suzuki		1	**51277264**

Content	QU	
Repair Cable RepLine (AMP Tyco MT II)	6	**51277209**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	250	Citroen Fiat Ford Lancia Mazda Opel Peugeot Volvo		1	**51277270**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	4	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	250	Fiat Lada Dacia Citroen Peugeot Renault		1	**51277290**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	4	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon


Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1 to 4	145	Citroen Dacia Nissan Peugeot		1	**51277292**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**
	Katalog04	25	**50252554**



RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	200	Nissan Opel Renault Suzuki		1	**51277317**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to +140 °C
Fitting Position: Between interior blower and series resistor

Info: with socket housing with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
2,5	150	Citroen Peugeot	C4 206 307		1	**51277320**
Content					**QU**	
Repair Cable RepLine (Sicma 2.8)					6	**51277390**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing with seal with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1	250	Nissan	Micra III	 NEW	1	**51277325**
Content	**Socket Width mm**	**Cable Cross Section mm²**			**QU**	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75			6	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1			6	**51277390**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to 140 °C


Info: with socket housing with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1	200	Mercedes-Benz	A-Klasse C-Klasse	 NEW	1	**51277326**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MCP 2,8 | Delphi DCK 2,8)					6	**51277217**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 2, 6
Temperature range: -25 to +140 °C
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1 to 4	145	Citrön Dacia Nissan Peugeot		1	**51277332**

Content	Cable Cross Section mm²	QU	
Cable Repair Set RepCon (Citroen | Dacia | Nissan | Peugeot)		1	**51277292**
	4	1	**51277291**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**
	Katalog04	50	**50252553**
	Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Silver-plated
Material: Silicone
Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	VAG	 NEW	1	**51277342**

Content	QU	
Repair Cable RepLine (KOSTAL MLK 1,2)	6	**51277234**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	175	BMW	 NEW	1	**51277349**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277360**

Content	Socket Width mm		QU	
Plug Housing	2,8		10	**50390674**
Repair Cable RepLine (AMP Tyco JPT)		1	6	**51277216**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	VAG Renault		1	**51277367**

Content	QU	
Repair Cable RepLine (AMP Tyco MT II)	6	**51277209**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
1,5	0,75	200	VAG		1	**51277373**

Content	Socket Width mm		QU	
Plug Housing	1,5		1	**50390672**
Repair Cable RepLine (AMP Tyco MT II)	1,6	0,75	6	**51277209**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -40 to +125 °C

Info: with socket housing
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1,5	1	175	Ford	Transit		1	**51277379**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -40 to +125 °C

Info: with socket housing
with gaskets/seals
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	Ford		1	**51277381**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -40 to +125 °C
Material: Silicone

Info: with socket housing
with gaskets/seals
with pipe



Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Toyota		1	**51277383**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
1,5	0,75	200	VAG Renault		1	**51277387**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with seal
with retaining
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
1,6	0,75	200	Fiat	500 500C		1	**51277398**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**


RepCon

Cable Repair Set

Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Silver-plated

Info: with socket housing
with seal
with pipe



Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	200	Alfa Romeo Opel		1	**51277402**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Silver-plated

Info: with socket housing, with seal, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1 to 4	145	Alfa Romeo Fiat Lancia	 NEW	1	**51277403**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**
			Katalog04	50	**50252553**
			Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing, with seal

Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
1	200	 NEW	1	**51277425**
Accessories		**see**	**DU**	
Squeeze Connector Crimpseal II		Katalog04	50	**50252552**

RepCon Econoseal

Cable Repair Set



Number of Poles: 6
occupied pins: 4
Temperature range: -25 to +140 °C

Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Ford		1	**51277437**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon Econoseal

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with socket housing, with gaskets/seals, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	200	Ford		1	**51277438**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with plug

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277454**

RepCon

Cable Repair Set



Number of Poles: 6
Temperature range: -25 to +180 °C
Contact surface: Tin-plated

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	175	Ford		1	**51277461**

7 pole

RepCon

Cable Repair Set





Number of Poles: 7
Temperature range: -25 to +140 °C

Info: with gaskets/seals
with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75	200	Opel General Motors		1	**51277287**
Content				**QU**	
Repair Cable RepLine (AMP Tyco MT II)				7	**51277209**
Accessories			**see**	**DU**	
Squeeze Connector Crimpseal II			Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 7
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Cable Cross Section mm²	Cable Length mm	Version	Restriction	Connector	DU	Article no.
1	200	C-Klasse CLC-Klasse CLS E-Klasse GLK-Klasse S-Klasse	Mercedes-Benz		1	**51277289**
Content					**QU**	
Repair Cable RepLine (AMP Tyco MCP 2,8 | Delphi DCK 2,8)					7	**51277217**
Accessories				**see**	**DU**	
Squeeze Connector Crimpseal II				Katalog04	50	**50252552**

8 pole


RepCon
Page 72


RepCon
Page 72


RepCon
Page 73


RepCon
Page 73


RepCon
Page 73


RepCon
Page 74


RepCon
Page 74


RepCon
Page 74


RepCon
Page 74


RepCon
Page 75

RepCon

Cable Repair Set




Number of Poles: 8
occupied pins: 6
Temperature range: -25 to +140 °C
Info: with socket housing

Cable Length mm	Restriction	Fitting Position	Connector	DU	Article no.
100	Fiat Citroen Peugeot	Left		1	**51277154**
		Right		1	**51277155**

RepCon

Cable Repair Set



Number of Poles: 8
occupied pins: 4
Temperature range: -25 to +140 °C
Fitting Position: both sides
Material: Silicone
Info: with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
0,75 to 1	200	Fiat	500 500 C 500L 500X		1	**51277280**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	2	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
occupied pins: 5
Temperature range: -25 to +140 °C
Fitting Position: both sides

Material: Silicone
Info: with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	200	Citroen Fiat Peugeot		1	**51277281**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	3	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
occupied pins: 8
Temperature range: -25 to +140 °C
Fitting Position: both sides

Material: Silicone
Info: with bush housing
with pipe


Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1	200	Citroen Fiat Peugeot		1	**51277282**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	6	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Cable Length mm	Cable Cross Section mm²	Restriction	Connector	DU	Article no.
300	0,5	VAG Mercedes-Benz Iveco	 NEW	1	**51277345**

Content	QU	
Repair Cable RepLine (AMP Tyco MQS)	8	**51277206**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1	175	BMW		1	**51277350**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Material: Silicone
Info: with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2,8	1	250	VAG		1	**51277361**

Content	QU	
Repair Cable RepLine (AMP Tyco JPT)	8	**51277216**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Info: with socket housing, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Connector	DU	Article no.
4,8	1,5 to 2,5	200		1	**51277412**

Content	QU	
Repair Cable RepLine (AMP Tyco SPT)	3	**51277223005**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Contact surface: Gold-plated
Info: with socket housing, with gaskets/seals, with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277450**

RepCon

Cable Repair Set



Number of Poles: 8
Temperature range: -25 to +140 °C
Material: Silicone

Info: with gaskets/seals
with plug

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG	 NEW	1	**51277455**

10 pole

RepCon

Cable Repair Set



Number of Poles: 10
Temperature range: -25 to +140 °C
Fitting Position: Dashboard Driver side

Material: Silicone
Info: with socket housing with pipe

occupied pins	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2	0,75	250	Fiat		1	**51277144**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	2	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	10	**51277390**

RepCon

Cable Repair Set



Number of Poles: 10
Temperature range: -25 to +140 °C
Material: Silicone

Info: with shrink squeeze connector with socket housing with cable tie with crimp connector with fuse adapter

occupied pins	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2	0,5 to 1,5	250	Fiat		1	**51277157**

Content	QU	
Cable Tie	1	**50266491**
Repair Cable RepLine (Sicma 2.8)	2	**51277390**

RepCon

Cable Repair Set



Number of Poles: 10
Temperature range: -25 to +140 °C
Fitting Position: Between interior blower and series resistor

Info: with socket housing with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,5 to 4	300	Renault		1	**51277321**

Content		QU	
Repair Cable RepLine (Sicma 2.8)		2	**51277390**
Accessories	**see**	**DU**	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**
	Katalog04	25	**50252554**

RepCon

Cable Repair Set



Number of Poles: 10
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Material: Silicone

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restric-tion	Connector	DU	Article no.
2,8	1	500	VAG		1	**51277362**


Content	Socket Width mm		QU	
Plug Housing	2,8		1	**50390668**
Repair Cable RepLine (AMP Tyco JPT)		1	10	**51277216**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

12 pole

RepCon

Cable Repair Set



Number of Poles: 12
Temperature range: -25 to +140 °C
Material: Silicone

Info: with socket housing
with pipe

occupied pins	Cable Cross Section mm²	Cable Length mm	Restriction	Version	Connector	DU	Article no.
2	0,75	250	Renault	Megane I Megane II Scenic II Grand Scenic II		1	**51277262**
Content						**QU**	
Repair Cable RepLine (Sicma 1.5)						2	**51277389**
Accessories					**see**	**DU**	
Squeeze Connector Crimpseal II					Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 12
Temperature range: -25 to +140 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

occupied pins	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
2	0,75	250	Fiat Smart Mercedes-Benz	 NEW	1	**51277363**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	2	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	10	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 12
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Material: Silicone

Info: with socket housing
with seal
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,75 to 1,5	500	VAG	 NEW	1	**51277409**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (AMP Tyco MT II)	1,6	0,75	8	**51277209**
Repair Cable RepLine (AMP Tyco JPT)	2,8	1,5	4	**51277395**

Cable Repair Kit, headlight



Number of Poles: 12
Contact surface: Tin-plated

Info: with socket housing
with seal
with crimp connector
with cap

Cable Cross Section mm²	Connector	DU	Article no.
0,35 to 2,5		1	**51277411**

14 pole

RepCon

Cable Repair Set



Number of Poles: 14
Temperature range: -25 to +140 °C

Info: with socket housing
with pipe

Cable Length mm	Restriction	Connector	DU	Article no.
150	Renault		1	**51277339**

Content	QU	
Repair Cable RepLine (Sicma 2.8)	6	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252553**

RepCon

Cable Repair Set



Number of Poles: 14
Temperature range: -25 to +140 °C
Contact surface: Tin-plated
Material: Silicone

Info: with gaskets/seals
with bush housing
with pipe

Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
0,5	175	Fiat Citroen Peugeot Lancia Alfa Romeo		1	**51277344**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (Sicma 1.5)	1,5	0,75	12	**51277389**
Repair Cable RepLine (Sicma 2.8)	2,8	1	2	**51277390**

Accessories	see	DU	
Squeeze Connector Crimpseal II	Katalog04	50	**50252552**

RepCon

Cable Repair Set



Number of Poles: 14
Temperature range: -25 to +125 °C
Contact surface: Tin-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Length mm	Restriction	Connector	DU	Article no.
1,5 2,8	500	VAG		1	**51277374**

Content	Socket Width mm	Cable Cross Section mm²	QU	
Repair Cable RepLine (AMP Tyco MT II)	1,6	0,75	8	**51277209**
Repair Cable RepLine (AMP Tyco JPT)	2,8	1,5	6	**51277395**

RepCon

Cable Repair Set



Number of Poles: 14
Temperature range: -25 to +140 °C
Contact surface: Gold-plated

Info: with socket housing
with gaskets/seals
with pipe

Socket Width mm	Cable Cross Section mm²	Cable Length mm	Restriction	Connector	DU	Article no.
1,6	0,75	200	VAG		1	**51277451**

Aerial Cable

Fakra Page 82 | Fakra Page 82 | Fakra Page 82 | Fakra Page 83 | Fakra Page 83 | Fakra Page 83 | FakraFME Page 83

Fakra

Adapter, antenna cable



Number of Poles: 1 **Temperature range:** -25 to +140 °C

Plug housing design	Plug Type ID	Cable Length mm	Connector	DU	Article no.
Pin Housing	Code Z	150		1	**51277240**
Accessories			**see**	**DU**	
Adapter, antenna cable Fakra			Page 82	1	**51277244**

Fakra

Adapter, antenna cable



Number of Poles: 1 **Temperature range:** -25 to +140 °C

Plug housing design	Plug Type ID	Cable Length mm	Connector	DU	Article no.
Bush Housing	Code Z	150		1	**51277244**

Fakra

Plug Housing Set




Number of Poles: 1 **Info:** with squeeze connector

Plug housing design	Plug Type ID	Connector	DU	Article no.
Bush Housing	Code Z		1	**50390772**
Accessories		**see**	**DU**	
Crimping Pliers		Katalog08	1	**90942242**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
Crimping Pliers Insert (KOSTAL MLK 1,2)		Katalog08	1	**95942167**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**

Fakra

Plug Housing Set



Number of Poles: 1 **Info:** with squeeze connector

Plug housing design	Plug Type ID	Connector	DU	Article no.
Pin Housing	Code Z		1	**50390773**

Accessories	see	DU	
Crimping Pliers	Katalog08	1	**90942242**
Crimping Pliers CrimPro 30	Katalog08	1	**95942164**
	Katalog08	1	**95942166**
Crimping Pliers Insert (KOSTAL MLK 1,2)	Katalog08	1	**95942167**

Fakra

Aerial Cable



Number of Poles: 1 **Temperature range:** -25 to +140 °C

Plug housing design	Plug Type ID	Cable Length m	Connector	DU	Article no.
Pin Housing	Code Z	1,25		1	**51277241**
		2		1	**51277242**
		5		1	**51277243**

Accessories	see	DU	
Adapter, antenna cable Fakra	Page 82	1	**51277244**
Adapter, antenna cable Fakra | FME	Page 83	1	**51277245**

Fakra

Aerial Cable



Number of Poles: 1 **Temperature range:** -25 to +140 °C

Plug housing design	Plug Type ID	Cable Length m	Connector	DU	Article no.
Bush Housing	Code Z	5,45	NEW	1	**51277430**

Fakra FME

Adapter, antenna cable



Number of Poles: 1 **Temperature range:** -25 to +140 °C

Plug Type	Plug housing design	Plug Type ID	Cable Length mm	Connector	DU	Article no.
Soldered Pin Contact	Bush Housing	Code Z	150		1	**51277245**

Accessories	see	DU	
Gas Soldering Torch Burner	Katalog08	1	**95921001**

»KNOW+HOW

Know+How: Repair kits for antenna lines (FAKRA plugs)







Antenna cable, FAKRA
Article number: 51277241, -243



Antenna cable, antenna line
Article number: 51277244, -245



Plug housing set
Article number: 50390772, -773

The cause: The antenna line in the vehicle is faulty
Driving with no radio? That's unthinkable for most drivers: after all, almost everyone listens to music or the radio while on the move. But what happens if the antenna line is faulty, causing the radio to stop working?

Be aware: it goes without saying that the problem can also occur for radio remote controls.

The problem: How do I find the right antenna line for my vehicle?
The faulty antenna line should be replaced as a matter of urgency. However, various FAKRA housings (female and/or male) are usually used in vehicles. In some cases, there may even be no FAKRA housing at all in the form of a mating plug because the vehicle manufacturers have routed the line along the entire length of the vehicle without any intermediate plugs. How is it possible for the neutral Code Z variant now supplied by Herth+Buss to be used in all scenarios?

The solution: Our repair kits for antenna lines
If it becomes apparent during a repair that a female FAKRA housing is installed in the vehicle, our repair cable can be connected immediately. If the connector in the vehicle is male, the adapter cable with article number 51277244 can be inserted intermediately with a choice of doing so on one side or on both sides. This cable features a connector housing on both ends, allowing it to be used in conjunction with our coaxial cables, which are mentioned above.

We've also considered the scenario whereby no FAKRA housing in the form of a mating plug is present in the vehicle at all. If technicians in the workshop are therefore looking for an option for connecting one individual line with the new repair lines, they can use the adapter cable 51277245. This set of articles comprises a crimped-on female FAKRA contact (+ housing), a crimped-on female FME contact (+ housing) and a male FME contact. The advantage with this article is that the contact can also be soldered. As an alternative, the plug housing set 50390773 may also be used for directly connecting to the antenna line in the vehicle: at the request of workshops, the plug housing sets 50390772 and -773 have been newly added.

Cable Repair Set, trailer plug

Cable Repair Set, trailer plug



Using the repair kit, defective trailer plugs can be replaced, including the first 1.5 m of cable. This results in a sustainable repair, as moisture can also often penetrate the line alongside the defective plug, meaning that further corrosion damage also occurs there sooner or later. After cutting off the defective plug, both open cable ends are connected using the shrinking crimp connector that can be found in the scope of supply. The thermal contraction hose which is also included serves to protect against corrosion and mechanical influences at the connecting point.

Number of Poles: 7
Material: Plastic
DIN/ISO: 1724 N-Typ

Info: with heat shrink tubing
with shrink squeeze connector
with pipe

Wire cross-section mm²	Cable Length mm	DU	Article no.
6 x 1,0 1 x 1,5	1500	1	**51305532**

Accessories	Cross Section mm²	see	DU	
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Hot Air Dryer HeatGun		Katalog08	1	**95920000**

Cable Repair Set, trailer plug



Using the repair kit, defective trailer plugs can be replaced, including the first 1.5 m of cable. This results in a sustainable repair, as moisture can also often penetrate the line alongside the defective plug, meaning that further corrosion damage also occurs there sooner or later. After cutting off the defective plug, both open cable ends are connected using the shrinking crimp connector that can be found in the scope of supply. The thermal contraction hose which is also included serves to protect against corrosion and mechanical influences at the connecting point.

Number of Poles: 13
Voltage: 12 V
Material: Plastic
DIN/ISO: 11446

Info: with shrink squeeze connector
with heat shrink tubing
with pipe

occupied pins	Wire cross-section mm²	Cable Length mm	DU	Article no.
8	7 x 1,0 1 x 1,5	1500	1	**51305634**

Accessories	Cross Section mm²	see	DU	
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Hot Air Dryer HeatGun		Katalog08	1	**95920000**





Repair Cables


Repair Cable	**88 - 105**





Repair Cable



RepLine
Page 91


RepLine
Page 92



RepLine
Page 92


RepLine
Page 93



RepLine
Page 93



RepLine
Page 94



RepLine
Page 94



RepLine
Page 95



RepLine
Page 95



RepLine
Page 96



RepLine
Page 96



RepLine
Page 97



RepLine
Page 97



RepLine
Page 98



RepLine
Page 98



RepLine
Page 99



RepLine
Page 99



RepLine
Page 100



RepLine
Page 100



RepLine
Page 101



RepLine
Page 101



RepLine
Page 102



RepLine
Page 102


RepLine
Page 103


RepLine
Page 103


RepLine
Page 103



RepLine
Page 104


RepLine
Page 104

» REPLINE

Two in one

The RepLine repair cables are available in our Elparts range. This range is particularly useful for workshops, which only use a small quantity of crimp connectors in their day-to-day operations. The key benefit: The crimp connectors and cables are already crimped. This removes an entire work process. The costs of purchasing crimping pliers and a crimping tool insert can also be saved. The user receives the repair cables for the most common male and female crimp connectors in a pack of ten units. This minimizes the expenditure for large packages. Another advantage compared with most conventional PVC cables is the use of highly flexible, temperature-resistant silicone cables.



RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
2,8	0,8	300	AMP Tyco JPT	0,5	10	**51277202**
				0,75	10	**51277203**
				1	10	**51277216**
				1,5	5	**51277395**

Content	QU	
Crimp Connector JPT | AFK 2.8 (TE Connectivity)	1	**50251826**

Accessories	Cross Section mm²	see	only for	DU	
Assortment, protective plugs and caps ELA		Katalog04		1	**50282150**
Crimping Pliers CrimPro 10		Katalog08		1	**95942331**
		Katalog08		1	**95942330**
Crimping Pliers CrimPro 30		Katalog08		1	**95942164**
		Katalog08		1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08		1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08		1	**95942187**
Release Tool, flat-/round plug (AMP Tyco JPT | AMP Tyco JT | AMP Tyco SPT | AMP Tyco ST)		Katalog08	51277202 51277203 51277216	1	**95945335**
Release Tool, flat-/round plug (AMP Tyco JPT | AMP Tyco SPT | AMP Tyco TAB | Delphi HVF2 | GHW DFK | GHW MDK 3)		Katalog08	51277395	1	**95945404**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04		50	**50252552**

YouTube herthundbuss.com/channel

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Gold-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
2,8	0,8	300	0,75	AMP Tyco JPT	10	**51277231**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**
		Katalog08	1	**95942164**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco JPT | AMP Tyco JT | AMP Tyco SPT | AMP Tyco ST)		Katalog08	1	**95945335**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal
Current carrying capacity: 9 A
Surface: Tin-plated
Temperature range: -25 to -185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²		DU	Article no.
2,8	0,8	300	AMP Tyco JPT	1	NEW	5	**51277391**
				1,5		5	**51277392**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco JT | AMP Tyco JPT asy)		Katalog08	1	**95945392**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
2,8	0,8	300	AMP Tyco JPT AMP Tyco MCP 2,8	0,5	10	**51277218**
				0,75	10	**51277219**
				1	10	**51277220**

Content	QU	
Crimp Connector JPT | MCP 2,8 | AFS 2.8 (TE Connectivity)	1	**50253315**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco JPT | AMP Tyco JT | AMP Tyco SPT | AMP Tyco ST)		Katalog08	1	**95945335**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Operating voltage: 24 V
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
1,2	0,6	300	AMP Tyco MCON 1,2	0,5	10	**51277227**
				1,0	10	**51277228**

Content	Cross Section mm²	QU	
Crimp Connector MCON 1,2 (TE Connectivity)	0,5 to 0,75	1	**50253517**
	1 to 1,5	1	**50253518**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MQS)		Katalog08	1	**95945425**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
1,6	0,6	300	AMP Tyco MCP 1,5	0,5	10	**51277214**
				0,75	10	**51277215**

Content	QU	
Crimp Connector MCP 1,5 (TE Connectivity)	1	**50251459**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MCP)		Katalog08	1	**95945369**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Gold-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
1,6	0,6	300	0,75	AMP Tyco MCP 1,5	10	**51277232**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**
		Katalog08	1	**95942164**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MCP)		Katalog08	1	**95945369**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
2,8	0,8	300	AMP Tyco MCP 2,8 Delphi DCK 2,8	0,5	10	**51277204**
				0,75	10	**51277205**
				1	10	**51277217**

Content	QU	
Crimp Connector MCP 2,8 (TE Connectivity)	1	**50251483**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MCP)		Katalog08	1	**95945406**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Gold-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
2,8	0,8	300	0,75	AMP Tyco MCP 2,8 Delphi DCK 2,8	10	**51277233**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**
		Katalog08	1	**95942164**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MCP)		Katalog08	1	**95945406**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Operating voltage: 24 V
Current carrying capacity: 9 A
Surface: Tin-plated
Temperature range: -25 to +185 °C

Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
0,8	300	AMP Tyco MCP 6,3	1,5	5	**51277221005**
			2,5	5	**51277222005**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MCP)		Katalog08	1	**95945407**
Squeeze Connector Crimpseal II	1,5 to 2,5	Katalog04	50	**50252553**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 7,5 A
Surface: Tin-plated
Temperature range: -40 to +120 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
0,6	0,6	300	0,75	AMP MQS Clean Body	10	**51277238**

Content	QU	
Crimp Connector MQS Clean Body (TE Connectivity)	1	**50251497**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
0,6	0,6	300	AMP Tyco MQS	0,5	10	**51277206**
				0,75	10	**51277207**

Content	QU	
Crimp Connector MQS (TE Connectivity)	1	**50251476**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MQS)		Katalog08	1	**95945425**
		Katalog08	1	**95945426**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface:
Temperature range: Gold-plated
Voltage: -25 to +185 °C
to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
0,6	0,6	300	0,75	AMP Tyco MQS	10	**51277229**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**
		Katalog08	1	**95942164**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MQS)		Katalog08	1	**95945425**
		Katalog08	1	**95945426**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
0,6	0,6	300	AMP Tyco MQS	0,5	10	**51277210**
				0,75	10	**51277211**

Content	QU	
Crimp Connector MQS (TE Connectivity)	1	**50251480**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MQS)		Katalog08	1	**95945425**
		Katalog08	1	**95945426**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
1,6	0,8	300	AMP Tyco MT II	0,5	10	**51277208**
				0,75	10	**51277209**

Content	QU	
Crimp Connector MT II (TE Connectivity)	1	**50253311**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MT II | AMP Tyco MT III)		Katalog08	1	**95945370**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Gold-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
1,6	0,8	300	0,75	AMP Tyco MT II	10	**51277230**

Content	QU	
Crimp Connector MT II (TE Connectivity)	1	**50251901**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942166**
		Katalog08	1	**95942164**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MT II | AMP Tyco MT III)		Katalog08	1	**95945370**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
1,6	0,6	300	AMP Tyco MT II AMP Tyco MCP 1,5	0,5	10	**51277212**
				0,75	10	**51277213**

Content	QU	
Crimp Connector MCP 1,5 | MT II (TE Connectivity)	1	**50251465**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (AMP Tyco MT II | AMP Tyco MT III)		Katalog08	1	**95945370**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Example: 

Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Restriction	Cable Cross Section mm²	DU	Article no.
0,8	0,8	300	Delphi Ducon 0,8 F	0,5	10	**51277200**
				0,75	10	**51277201**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942331**
		Katalog08	1	**95942330**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 12 A
Surface: Silver-plated
Temperature range: to +170 °C
Voltage: to 48 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
1,2	0,6	300	0,75	KOSTAL MLK 1,2	10	**51277234**

Content	QU	
Crimp Connector (KOSTAL MLK 1,2 Sm)	1	**50253479**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (KOSTAL MLK 1,2)		Katalog08	1	**95945400**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal
Current carrying capacity: 12 A
Surface: Silver-plated
Temperature range: to +170 °C
Voltage: to 48 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
1,2	0,6	300	0,75	KOSTAL MLK 1,2	10	**51277235**

Content	QU	
Crimp Connector (KOSTAL MLK 1,2)	1	**50253392**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (KOSTAL MLK 1,2)		Katalog08	1	**95945403**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 20 A
Surface: Silver-plated
Temperature range: to +170 °C
Voltage: to 48 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
2,8	0,8	300	1	KOSTAL SLK 2,8	10	**51277236**

Content	QU	
Crimp Connector (KOSTAL SLK 2,8)	1	**50253234**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (KOSTAL SLK 2,8)		Katalog08	1	**95945402**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal
Current carrying capacity: 20 A
Surface: Silver-plated
Temperature range: to +170 °C
Voltage: to 48 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
2,8	0,8	300	1	KOSTAL SLK 2,8	10	**51277237**

Content	QU	
Crimp Connector (KOSTAL SLK 2,8)	1	**50253250**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Release Tool, flat-/round plug (KOSTAL SLK 2,8)		Katalog08	1	**95945402**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

ASSORTMENT AVAILABLE!

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Surface: Tin-plated
Temperature range: -40 to +120 °C

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
3	3	300	1	Molex Fork PCB 5.0	10	**51277239**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Surface: Tin-plated
Temperature range: -40 to +120 °C

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restric-tion	DU	Article no.
1,5	0,8	300	0,75	Sicma 1.5	10	**51277389**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Surface: Tin-plated
Temperature range: -40 to +120 °C

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restric-tion	DU	Article no.
2,8	0,8	300	1	Sicma 2.8	10	**51277390**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 9 A
Surface: Tin-plated
Temperature range: -25 to -185 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction	DU	Article no.
2,8	0,8	300	1,5	Delphi Ducon 2.8	5	**51277394**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers CrimPro 30		Katalog08	1	**95942164**
		Katalog08	1	**95942166**
Crimping Pliers Insert	0,1 to 0,5 0,5 to 1 1,5 to 2,5	Katalog08	1	**95942347**
	0,5 to 1 1,5 to 2,5 4 to 6	Katalog08	1	**95942187**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +180 °C
Voltage: to 24 V

Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction		DU	Article no.
1	0,64	300	0,5	AMP Tyco GET 0,64	NEW	10	**51277396**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**



2

RepLine

Repair Cable



Plug Type: Blade Terminal Sleeve
Current carrying capacity: 5 A
Surface: Tin-plated
Temperature range: -25 to +180 °C
Voltage: to 24 V


Socket Width mm	Socket Height mm	Cable Length mm	Cable Cross Section mm²	Restriction		DU	Article no.
1,5	0,6	300	0,5	YESC KAIZEN 1.5	NEW	10	**51277397**

Accessories	Cross Section mm²	see	DU	
Assortment, protective plugs and caps ELA		Katalog04	1	**50282150**
Squeeze Connector Crimpseal II	0,5 to 1,5	Katalog04	50	**50252552**

» APPLICATION EXAMPLE


Connecting the cables

1




The key benefit of our RepLines is that the contacts are already optimally crimped with the silicone lead. This means that the user does not have to carry out the crimping process.

2




The repair line merely has to be connected with the cable in the vehicle (shown here in yellow). Both cables must be stripped beforehand (e.g. with our stripper).

3



A crimp, shrink or soldered shrink connector can be used for the connection.

4



The cables are then crimped with the connector one after the other. In this example with our crimping pliers CrimPro10, alternatively with CrimPro30.

5



The connectors are then shrunk with a hot air fan.



3

Assortments

Assortment, cable repair set	**119 - 122**
Assortment, repair cable	**123**
Clamping Clip	**117**
Clip	**113**
Connector, pipes	**113 - 116**
Holding Bracket	**117**
Hose Connector	**113**
Repair Kit, air conditioning	**109**
Repair Set, pressure line (soot/particle filter)	**118**
Repair Set, vacuum line	**115**
Repair Set, wash water line	**110 - 111**
Seal Ring, corrugated pipe	**114**




Repair Kit, air conditioning

» REPAIR KIT, AIR CONDITIONING

Further information on the repair Kit, air conditioning

All connection sizes were burst pressure tested by TÜV and a high level of resistance has been confirmed:

- 10 mm: Burst pressure > 100 bar
- 12 mm: Burst pressure > 100 bar
- 14 mm: Burst pressure > 80 bar
- 16 mm: Burst pressure > 60 bar
- 18 mm: Burst pressure > 50 bar



Product advantages:

- Covers almost standard sizes from 10 to 18 mm
- No non-standard inch sizes included
- No corrosion possible on the repaired vehicle cables as aluminium is used
- Anodised individual parts
- Different colours of the components for easy and safe assembly
- Can be installed without special tools
- Cheaper than installing a completely new cable harness
- Not limited to one vehicle manufacturer and therefore suitable for universal use, including commercial vehicles and agricultural machinery
- Fast repair solution as an immediate aid, no long wait times and standstill

Other sizes and pipe sections (90°/45°) are possible depending on demand.





RepAC

Repair Kit, air conditioning

Material: Aluminium
HNBR (hydrogenated nitrile butadiene rubber)
Surface: Anodized
Info: with gaskets/seals
with connecting pipe

The repair kit can be used to connect separate aluminium pipes to the air conditioner or replace entire straight pipe sections. For repair work, aluminium pipes are included in a length of 20 cm and the appropriate connecting sets, consisting of screw components and seals.

Pipe cutters, deburring machines and non-woven abrasive are required for proper processing and are also included with this repair kit. The seal rings in the sets are suitable for all standard refrigerants.

Wall Thickness mm	Outer Ø mm	Seal Diameter mm	Quantity	Qty	DU	Article no.
1,0	10,0 12,0 14,0 16,0 18,0	10,0 12,0 14,0 16,0 18,0	98 NEW	98	1	**54272015**

Content	Outer Ø mm	Seal Diameter mm	QU	
Repair Kit, air conditioning RepAC	10,0	10,0	1	**51272010**
	12,0	12,0	1	**51272012**
	14,0	14,0	1	**51272014**
	16,0	16,0	1	**51272016**
	18,0	18,0	1	**51272018**



1



RepAC

Repair Kit, air conditioning

Material: Aluminium
HNBR (hydrogenated nitrile butadiene rubber)
Surface: Anodized
Info: with gaskets/seals
with connecting pipe

Wall Thickness mm	Outer Ø mm	Seal Diameter mm	DU	Article no.
1,0	10,0	10,0 NEW	1	**51272010**
	12,0	12,0 NEW	1	**51272012**
	14,0	14,0 NEW	1	**51272014**
	16,0	16,0 NEW	1	**51272016**
	18,0	18,0 NEW	1	**51272018**







3

Repair Set, wash water line


RepPipe
Page 110


RepPipe
Page 111


RepPipe
Page 112


Page 112


RepPipe
Page 113


RepPipe
Page 113


RepPipe
Page 113


RepPipe
Page 113


RepPipe
Page 114

RepPipe

Repair Set, wash water line

Version: NW 4,5mm -> 3,0mm
NW 4,5mm -> 4,0mm
Material: POM (Polyoxymethylene)
Polyamid 6
EPDM (ethylene propylene diene Monomer (M-class) rubber)
Pipe length: 2500 mm
Info: with gaskets/seals
with connecting pipe
with adapter

Damaged sections of washing water lines can be replaced quickly and easily using the repair kit. Corrugated pipe connecting pieces, mounting clips and seals in three different diameters, in addition to a 2. 5-metre-long corrugated pipe, are all contained to repair corrugated pipelines with a nominal width of 4. 5. In addition, damaged sections of washing water lines made from smooth hoses can be repaired using connecting adapters with diameters of 3 mm and 4 mm. Moreover, hose fittings are contained for the direct connection of smooth hoses.



	Qty	DU	Article no.
	159	1	**54271025**

Content	Nominal Size mm	Inner diameter mm	QU	
Assortment Box			1	**99994521**
Clip RepPipe			28	**51271335**
Connector, pipes RepPipe			6	**51271320**
			6	**51271321**
	4,5		8	**51271330**
Corrugated Pipe		4,3	1	**51271140**
Hose Connector RepPipe			10	**51271310**
			10	**51271311**
Seal Ring, corrugated pipe RepPipe	4,5	5,0	30	**50280050**
		5,5	30	**50280055**
		6,0	30	**50280060**

Accessories	Nominal Size mm	Inner diameter mm	see	DU	
Seal Ring, corrugated pipe RepPipe	4,5	5,0	Page 114	50	**50280150**
		5,28	Page 114	50	**50280052**
		6,1	Page 114	50	**50280061**

1



RepPipe

Repair Set, wash water line

Material: POM (Polyoxymethylene)
Polyamid 6
EPDM (ethylene propylene diene Monomer (M-class) rubber)
Pipe length: 500 mm
Info: with gaskets/seals
with connecting pipe





Using the repair kit, a defective point in the washing water line can be quickly and easily replaced. Corrugated pipe connecting pieces, mounting clips and seals in four different diameters, in addition to a 50- centimetre-long corrugated pipe, are all contained to repair the corrugated pipeline with a nominal width of 4.5.

	QU	DU	Article no.
	Kit	1	**54271026066**

Content	Nominal Size mm	Inner diameter mm	QU	
Clip RepPipe			4	**51271335**
Connector, pipes RepPipe	4,5		2	**51271330**
Corrugated Pipe		4,3	1	**51271140**
Seal Ring, corrugated pipe RepPipe		5,0	2	**50280150**
			2	**50280050**
		5,28	2	**50280052**
		5,5	2	**50280055**
		6,0	4	**50280060**
		6,1	2	**50280061**

RepPipe

Repair Set, wash water line

Version: NW 4,5 mm -> 3,0 mm
NW 4,5 mm -> 4,0 mm
Material: POM (Polyoxymethylene)
Pipe length: 2500 mm
Info: with gaskets/seals
for washer fluid jet
for washer fluid pump
with connecting pipe
with adapter



Using the repair kit, defective sections and complete pipe sections in washing water lines can be replaced quickly and easily. It is also possible to replace conventional coupling pieces. Corrugated pipe connecting pieces, mounting clips and seals in six different diameters, in addition to a 2.5-metre-long corrugated pipe, are all included in the repair kit for repairing corrugated pipes with a nominal diameter of 4.5. In addition, damaged sections of washing water lines made from smooth hoses can be repaired using connecting adapters with diameters of 3 mm and 4 mm. Moreover, hose fittings are contained for the direct connection of smooth hoses.

	Qty	DU	Article no.
NEW	333	1	**54271027**

Content	Nominal Size mm	Inner diameter mm	QU	
Assortment Box			1	**99994522**
Clip RepPipe			50	**51271335**
Connector, pipes RepPipe			6	**51271323**
			6	**51271326**
			6	**51271324**
			6	**51271327**
			8	**51271322**
			8	**51271325**
			8	**51271320**
			8	**51271321**
	4,5		16	**51271330**
Corrugated Pipe		4,3	1	**51271140**
Hose Connector RepPipe			15	**51271310**
			15	**51271311**
Seal Ring, corrugated pipe RepPipe	4,5	5,0	30	**50280050**
			30	**50280150**
		5,28	30	**50280052**
		5,5	30	**50280055**
		6,0	30	**50280060**
		6,1	30	**50280061**

Accessories	see	DU	
Frame, assortment box HandyBox	Katalog04	1	**99994532**



3

Repair Set, wash water line

Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)
Info: with hose
with cable tie
with plug connector



This repair kit is not just suitable for washing water hoses, but also for other applications. The hose material EPDM is resistant to alcohol, water, acids, alkalis, etc... Other applications thus include:

- Battery ventilation
- Water drainage (sunroof, air conditioning)
- Vacuum hoses
- Boats + caravans (excellent resistance to UV light, weatherproof)
- Industrial applications with repairs Not suitable for use with grease, mineral oil or fuel.

Line Cross Section mm	Inner Ø mm	Outer Ø mm	DU	Article no.
3	3	7 NEW	1	**54280003**
4	4	8 NEW	1	**54280004**

Content	for cable Ø mm	QU	
Hose		1	**51280030**
		1	**51280040**
Hose Connector RepPipe	3	4	**51271310**
	4	4	**51271311**

Accessories	see	only for	DU	
Hose Clamp	Katalog04	54280004	25	**50268109**

RepPipe

Hose Connector

Material: POM (Polyoxymethylene)
Chemical Properties: Oil resistant
Shape: straight
Material: POM (Polyoxymethylene)



Inlets/Outlets	for cable Ø mm	Colour	DU	Article no.
2	3	●	25	**51271310**
	4	●	25	**51271311**

RepPipe

Connector, pipes

Shape: straight
Material: POM (Polyoxymethylene)
Chemical Properties: Oil resistant



Pipe Ø mm	Hose diameter mm	DU	Article no.
4,5	3	10	**51271320**
	4	10	**51271321**

RepPipe

Connector, pipes

Shape: straight
Material: POM (Polyoxymethylene)
Chemical Properties: Oil resistant



Nominal Size mm	DU	Article no.
4,5	10	**51271330**

RepPipe

Clip

Material: POM (Polyoxymethylene)
Chemical Properties: Oil resistant



Pipe Ø mm	DU	Article no.
4,5	10	**51271335**

RepPipe

Seal Ring, corrugated pipe

Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)



Nominal Size mm	Thickness mm	Inner diameter mm	DU	Article no.
4,5	1,5	5,0	50	**50280050**
		5,5	50	**50280055**
		6,0	50	**50280060**
	1,6	6,1	50	**50280061**
	1,78	5,28	50	**50280052**
	2,0	5,0	50	**50280150**



Repair Set, vacuum line



RepVac
Page 115


RepVac
Page 116


RepVac
Page 116


RepVac
Page 116


RepVac
Page 116


RepVac
Page 117


RepVac
Page 117

RepVac

Repair Set, vacuum line

Shape: straight
angled

Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)
POM (Polyoxymethylene)
Polyamid 6

Info: with connecting pipe with adapter

Faulty negative pressure lines made from rubber and hard plastic can be replaced with a modern negative pressure corrugated pipe with the repair kit. The following are included for repairs: straight and angled negative pressure connectors for corrugated pipe with a nominal width of 4.5 for connections with 3-4 mm and 5-7 mm, in addition to corrugated pipe connecting pieces. The assortment also includes fixing clamps, retaining clips and a 2.5-m-long corrugated pipe. The area of use ranges from passenger cars and commercial vehicles to motorcycles and construction machinery. Application examples include negative pressure connections on: air filter boxes, distributors, MAP sensors, pressure control valves, central locking systems, etc. Advantages of the repair kit:

- universally compatible
- better protection against pine marten bites
- permanently flexible and durable
- smaller diameter than rubber lines
- Replacement for negative pressure lines from older vehicles which are no longer available
- emergency fix in the event of breakdowns
- cheaper than moulded hoses




Nominal Size mm	Version	Qty	DU	Article no.
4,5	NW 4,5 -> 3-4 mm NW 4,5 -> 5-7 mm	89	1	**54271035**
Content			**QU**	
Connector, pipes RepVac			8	**51271340**
			8	**51271341**
			8	**51271342**
			8	**51271350**
			8	**51271351**
			8	**51271352**
Holding Bracket RepVac			20	**50267222**
Clamping Clip RepVac			20	**50268610**
Corrugated Pipe			1	**51271140**
Assortment Box			1	**99994521**
Accessories		**see**	**DU**	
Pliers, hose clamp		Katalog08	1	**95922000**

1



2



RepVac

Connector, pipes

Shape: straight
Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)



Pipe Ø mm	DU	Article no.
4,5	10	**51271340**

RepVac

Connector, pipes

Shape: straight
Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)



Pipe Ø mm	Hose diameter mm	DU	Article no.
4,5	3 to 4	10	**51271341**
	5 to 7	10	**51271342**

RepVac

Connector, pipes

Shape: angled
Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)



Pipe Ø mm	DU	Article no.
4,5	10	**51271350**

RepVac

Connector, pipes

Shape: angled
Material: EPDM (ethylene propylene diene Monomer (M-class) rubber)



Pipe Ø mm	Hose diameter mm	DU	Article no.
4,5	3 to 4	10	**51271351**
	5 to 7	10	**51271352**

RepVac

Holding Bracket

Material: Steel



Nominal diameter mm	DU	Article no.
10	25	**50267222**

RepVac

Clamping Clip

Material: Steel
DIN standards: DIN 3021 (springband hose clips)
Temperature range: -40 to +200 °C



Spring-band clamps have an advantage over conventional hose clamps in that they adapt to the respective diameter in the area of application. The flexible holding mechanism of the clamp makes this possible. If the temperature rises in the area of application, the fluid system increases its diameter – the clamp thereby adapts to the increased cross-section. The opposite also applies for the cold. This means that all air or fuel circuits present in the vehicle are always securely attached. The optimum hold provided by the systems also creates one further advantage: This attachment solution is more durable, as the pipelines do not chafe or rub.

Width mm	Clamping range mm	Nominal diameter mm	DU	Article no.
8	9,8 to 11,2	10	25	**50268610**

Accessories	see	DU	
Pliers, hose clamp	Katalog08	1	**95922000**




Repair Set, pressure line (soot/particle filter)

RepDPF

Repair Set, pressure line (soot/particle filter)

Material: Silicone
Temperature range: -40 to +350 °C
Chemical Properties: Oil resistant
Info: with connection line
with protection hose
with marten protection
with clamps





Using this repair kit, defective connecting hoses between the diesel particle filter (DPF) and the differential pressure sensor can be quickly and simply replaced. Pine marten bites may also be responsible for damage, and not just mechanical and thermic influences. That's why this set is supplied with protective hoses that are resistant to both high temperatures and pine marten bites. They protect the silicone pressure lines from external influences. The spring band clamps included in the scope of supply ensure that the hoses are held securely.

Pressure hose connector Ø mm	Clamping range mm	Length m	DU	Article no.
5 6,5	10,0 11,0 11,5 12,5 to 12,5 13,5 14,0 15,0	1	1	**54271045**
Accessories		**see**	**DU**	
Pliers, hose clamp		Katalog08	1	**95922000**

Assortment, cable repair set

RepCon Page 119 | RepCon Page 120 | RepCon Page 121 | RepCon Page 121 | RepCon Page 122 | RepLine Page 123

RepCon

Assortment, cable repair set

Restriction: Alfa Romeo
Fiat
Lancia
Opel

Info: with shrink squeeze connector



contained variants			DU	Article no.
11			1	**54277010**
Content	**Number of Poles**	**Colour**	**QU**	
Cable Repair Set RepCon	1		4	**51277346**
Cable Repair Set RepCon (Alfa Romeo | Chevrolet | Fiat | Lancia | Opel)	2		1	**51277337**
Cable Repair Set RepCon (Fiat | Opel | Suzuki)			4	**51277164**
Cable Repair Set RepCon (Alfa Romeo | Renault)			1	**51277319**
Cable Repair Set RepCon | Superseal (Fiat | Lancia)			1	**51277265**
Cable Repair Set RepCon (Citroen | Fiat | Lancia | Opel | Peugeot)			1	**51277333**
Cable Repair Set RepCon	3		1	**51277338**
Cable Repair Set RepCon (Citroen | Fiat | Peugeot)	5		1	**51277250**
Cable Repair Set RepCon (Alfa Romeo | Fiat | Opel)			1	**51277183**
Cable Repair Set RepCon (Citroen | Fiat | Peugeot)	6		1	**51277253**
Cable Repair Set RepCon (Fiat)	10		1	**51277144**
Squeeze Connector Crimpseal II		red	20	**50252552**
		blue	10	**50252553**
		yellow	10	**50252554**

Accessories	see	DU	
Crimping Pliers CrimPro 10	Katalog08	1	**95942330**
	Katalog08	1	**95942331**
Crimping Pliers Insert	Katalog08	1	**95942347**
Frame, assortment box HandyBox	Katalog04	1	**99994532**

RepCon

Assortment, cable repair set

Restriction: Citroen
Peugeot
Renault

Info: with shrink squeeze connector



contained variants			DU	Article no.
12			1	**54277020**
Content	**Number of Poles**	**Colour**	**QU**	
Cable Repair Set RepCon	1		4	**51277179**
Cable Repair Set RepCon (Citroen | Peugeot | Renault)	2		2	**51277304**
Cable Repair Set RepCon (Citroen | Dacia | Nissan | Peugeot)			1	**51277291**
Cable Repair Set RepCon			1	**51277309**
Cable Repair Set RepCon (BMW | Fiat | Opel | Suzuki)			4	**51277163**
Cable Repair Set RepCon (Citroen | Fiat | Lancia | Peugeot | Renault | Toyota)			1	**51277302**
Cable Repair Set RepCon (Citroen | Peugeot)	5		1	**51277301**
Cable Repair Set RepCon (Citroen | Fiat | Peugeot)			1	**51277182**
Cable Repair Set RepCon (Citroen | Dacia | Nissan | Peugeot)	6		1	**51277292**
Cable Repair Set RepCon (Citroen | Fiat | Ford | Lancia | Mazda | Opel | Peugeot | Volvo)			1	**51277270**
Cable Repair Set RepCon (Fiat | Lada | Dacia | Citroen | Peugeot | Renault)		●	1	**51277261**
Cable Repair Set RepCon (Renault)	10		1	**51277321**
Squeeze Connector Crimpseal II		●	20	**50252552**
		●	10	**50252553**
		●	10	**50252554**

Accessories	see	DU	
Crimping Pliers CrimPro 10	Katalog08	1	**95942330**
	Katalog08	1	**95942331**
Crimping Pliers Insert	Katalog08	1	**95942347**
Frame, assortment box HandyBox	Katalog04	1	**99994532**



RepCon

Assortment, cable repair set

Restriction: Audi
VW
Seat
Skoda
Info: with shrink squeeze connector



contained variants			DU	Article no.
13			1	**54277030**
Content	**Number of Poles**	**Colour**	**QU**	
Cable Repair Set RepCon	1		4	**51277180**
Cable Repair Set RepCon (Mercedes-Benz | VAG | Scania)	2		2	**50390266**
Cable Repair Set RepCon (VAG)			2	**51277160**
			2	**51277296**
Cable Repair Set RepCon (Mercedes-Benz | VAG)			1	**51277267**
Cable Repair Set RepCon (VAG)	3		1	**51277340**
			1	**51277331**
			1	**51277307**
Cable Repair Set RepCon (VAG | Fiat | Citroen | Peugeot)	4		1	**51277161**
Cable Repair Set RepCon (Ford | VAG)			1	**51277284**
Cable Repair Set RepCon (VAG)			1	**51277341**
	5		1	**51277308**
Cable Repair Set RepCon (Alfa Romeo | Fiat | Ford | Lancia | Opel | Suzuki)	6		1	**51277264**
Cable Repair Set RepCon (VAG | Renault)			1	**51277387**
Squeeze Connector Crimpseal II		red	20	**50252552**
		blue	20	**50252553**
Accessories		**see**	**DU**	
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers Insert		Katalog08	1	**95942347**
Frame, assortment box HandyBox		Katalog04	1	**99994532**

RepCon

Assortment, cable repair set

Restriction: BMW
Mercedes-Benz
Info: with shrink squeeze connector



contained variants			DU	Article no.
11		NEW	1	**54277040**
Content	**Number of Poles**	**Colour**	**QU**	
Cable Repair Set RepCon (BMW)	2		1	**51277347**
Cable Repair Set RepCon (BMW | Mercedes-Benz)			1	**51277352**
Cable Repair Set RepCon (BMW)	3		1	**51277318**
Cable Repair Set RepCon (Mercedes-Benz)			1	**51277286**
Cable Repair Set RepCon (BMW)			1	**51277348**
Cable Repair Set RepCon (BMW | Mercedes-Benz | VAG)	4		1	**51277336**
	6		1	**51277162**
Cable Repair Set RepCon (Mercedes-Benz)			2	**51277326**
Cable Repair Set RepCon (BMW)			1	**51277349**
Cable Repair Set RepCon (Mercedes-Benz)	7		2	**51277289**
Cable Repair Set RepCon (BMW)	8		2	**51277350**
Squeeze Connector Crimpseal II		white	10	**50252555**
		red	20	**50252552**
		blue	10	**50252553**
Accessories		**see**	**DU**	
Crimping Pliers CrimPro 10		Katalog08	1	**95942330**
		Katalog08	1	**95942331**
Crimping Pliers Insert		Katalog08	1	**95942347**
Frame, assortment box HandyBox		Katalog04	1	**99994532**

RepCon

Assortment, cable repair set

Restriction: BMW
Mercedes-Benz
VAG
Fiat
Alfa Romeo
Opel
Citroen
Peugeot
Renault

Info: with shrink squeeze connector



This range contains the most common cable repair kits for a wide range of vehicle models. Whether it's the connection on the combination rearlight for PSA, BMW or Mercedes-Benz, the injection valves for Fiat or Alfa Romeo, the wheel speed sensors for VAG, the heating control unit for Renault or the glow plugs for almost all vehicles with diesel engines. The RepCon range comprises cover 120 different connectors. The cables included in the repair kit simply have to be connected to the cables in the vehicle. We recommend solder or crimp shrink connectors for this purpose. Key advantages:

- Contacts and cables are already crimped.
- No time-consuming search for the contact installed in the connector.
- No unfastening of the contacts necessary.
- No crimping pliers required.

contained variants			DU	Article no.
15			1	**54277050**
Content	**Number of Poles**	**Colour**	**QU**	
Cable Repair Set RepCon | Superseal (Opel | Fiat | Peugeot | Alfa Romeo | Lancia | Suzuki | Ford | Citroen)	1		1	**51277335**
Cable Repair Set RepCon			2	**51277180**
Cable Repair Set RepCon (Citroen | Dacia | Nissan | Peugeot)	2		1	**51277291**
Cable Repair Set RepCon (VAG)			2	**51277160**
			2	**51277296**
Cable Repair Set RepCon (Mercedes-Benz | VAG | Scania)			2	**50390266**
Cable Repair Set RepCon (BMW | Fiat | Opel | Suzuki)			1	**51277163**
Cable Repair Set RepCon (VAG)	3		1	**51277340**
Cable Repair Set RepCon (Citroen | Peugeot | Renault)	4		1	**51277271**
Cable Repair Set RepCon (Citroen | Dacia | Nissan | Peugeot)	6		1	**51277292**
Cable Repair Set RepCon (BMW | Mercedes-Benz | VAG)			1	**51277162**
Cable Repair Set RepCon (Fiat | Lada | Dacia | Citroen | Peugeot | Renault)		●	1	**51277261**
Cable Repair Set RepCon (Mercedes-Benz)	7		1	**51277289**
Cable Repair Set RepCon (BMW)	8		1	**51277350**
Cable Repair Set RepCon (Fiat)	10		1	**51277144**
Squeeze Connector Crimpseal II		○	10	**50252555**
		●	20	**50252552**
		●	5	**50252553**
		●	5	**50252554**

Accessories	see	DU	
Frame, assortment box HandyBox	Katalog04	1	**99994532**
Crimping Pliers CrimPro 10	Katalog08	1	**95942330**
	Katalog08	1	**95942331**
Crimping Pliers Insert	Katalog08	1	**95942347**

RepLine

Assortment, repair cable


Restriction: BMW
Mercedes-Benz
Opel
VAG

Info: with gaskets/seals
with shrink squeeze connector





1



2



contained variants	Cable Length mm	DU	Article no.
14	300	1	**54277001**
Content		**QU**	
Squeeze Connector Crimpseal II		75	**50252552**
Sealing-/Protection Plugs ELA (KOSTAL ELA 5,2)		50	**50282023**
Sealing-/Protection Plugs ELA (KOSTAL ELA-U 4)		50	**50282028**
Sealing-/Protection Plugs ELA (AMP Tyco ELA 7,2)		50	**50282044**
Sealing-/Protection Plugs ELA (KOSTAL ELA-U 3,6)		50	**50282053**
Sealing-/Protection Plugs ELA (AMP Tyco ELA 5,4)		50	**50282058**
Repair Cable RepLine (Delphi Ducon 0,8 F)		5	**51277201**
Repair Cable RepLine (AMP Tyco JPT)		5	**51277203**
Repair Cable RepLine (AMP Tyco MQS)		5	**51277207**
Repair Cable RepLine (AMP Tyco MT II)		5	**51277209**
Repair Cable RepLine (AMP Tyco MQS)		5	**51277211**
Repair Cable RepLine (AMP Tyco MT II | AMP Tyco MCP 1,5)		5	**51277213**
Repair Cable RepLine (AMP Tyco MCP 1,5)		5	**51277214**
		5	**51277215**
Repair Cable RepLine (AMP Tyco JPT)		5	**51277216**
Repair Cable RepLine (AMP Tyco MCP 2,8 | Delphi DCK 2,8)		5	**51277217**
Repair Cable RepLine (AMP Tyco JPT | AMP Tyco MCP 2,8)		5	**51277220**
Repair Cable RepLine (AMP Tyco MCP 6,3)		5	**51277221005**
Repair Cable (AMP Tyco SPT)		10	**51277223**
Repair Cable (AMP Tyco MCP 6,3 | AMP Tyco SPT)		10	**51277225**
Repair Cable RepLine (AMP Tyco MCON 1,2)		5	**51277228**
Assortment Box		1	**99994523**
Universal Container		6	**99994524**
		1	**99994534**
Foam Insert, assortment box		1	**99994540**
Repair Cable RepLine (AMP Tyco MCP 6,3 | AMP Tyco SPT)		5	**51277225005**
Repair Cable RepLine (AMP Tyco SPT)		5	**51277223005**
Accessories	**see**	**DU**	
Hot Air Dryer HeatGun	Katalog08	1	**95920000**
Gas Soldering Torch Burner	Katalog08	1	**95921001**
Crimping Pliers CrimPro 10	Katalog08	1	**95942330**
	Katalog08	1	**95942331**
Crimping Pliers Insert	Katalog08	1	**95942347**
Crimping Pliers CrimPro 30	Katalog08	1	**95942164**
	Katalog08	1	**95942166**
Crimping Pliers Insert	Katalog08	1	**95942187**
Frame, assortment box HandyBox	Katalog04	1	**99994532**
Insert Guide, plug	Katalog08	1	**95945401**
Assortment, protective plugs and caps ELA	Katalog04	1	**50282150**





Article no. Index

Article number	Page
50251459	94
50251465	99
50251476	97
50251480	98
50251483	95
50251497	96
50251826	91
50251901	99
50252552	119-123
50252553	119-122
50252554	119-120,122
50252555	121-122
50253234	101
50253250	102
50253311	98
50253315	93
50253327	22
50253392	101
50253479	100
50253517	93
50253518	93
50266491	44,76
50267222	115,117
50268610	115,117
50280050	110-112,114
50280052	111-112,114
50280055	110-112,114
50280060	110-112,114
50280061	111-112,114
50280150	111-112,114
50282023	123
50282028	123
50282044	123
50282048	22
50282053	123
50282058	123
50282080	23
50290826010	22
50390266	23,121-122
50390662	23
50390663	36
50390668	77
50390672	67
50390674	66
50390772	82
50390773	83
50391124	35
50391127	55
51271140	110-112,115

Article number	Page
51271310	110,112-113
51271311	110,112-113
51271320	110,112-113
51271321	110,112-113
51271322	112
51271323	112
51271324	112
51271325	112
51271326	112
51271327	112
51271330	110-113
51271335	110-113
51271340	115-116
51271341	115-116
51271342	115-116
51271350	115-116
51271351	115-116
51271352	115-116
51272010	109
51272012	109
51272014	109
51272016	109
51272018	109
51277144	76,119,122
51277154	72
51277155	72
51277157	76
51277160	20,121-122
51277161	50,121
51277162	62,121-122
51277163	21,120,122
51277164	21,119
51277179	17,120
51277180	17,121-122
51277181	21,29
51277182	56,120
51277183	56,119
51277200	100
51277201	100,123
51277202	91
51277203	22-23,31,45,50,91,123
51277204	95
51277205	95
51277206	31,44,62,73,97
51277207	30,40,43,53,97,123
51277208	18,31,98
51277209	20,25,63,67,71,78,80,98,123
51277210	98
51277211	98,123

Article number	Page
51277212	26,99
51277213	99,123
51277214	94,123
51277215	33,62,94,123
51277216	35,53,55,66,74,77,91,123
51277217	65,71,95,123
51277218	93
51277219	93
51277220	36,93,123
51277221005	96,123
51277222005	96
51277223	123
51277223005	74,123
51277225	123
51277225005	123
51277227	57,93
51277228	93,123
51277229	97
51277230	42,52,59,99
51277231	92
51277232	94
51277233	95
51277234	24,30,43,53,66,100
51277235	101
51277236	32,41,101
51277237	102
51277238	96
51277239	51,57,62,102
51277240	82
51277241	83
51277242	83
51277243	83
51277244	82
51277245	83
51277249	21
51277250	57,119
51277251	62
51277252	22
51277253	62,119
51277254	51
51277255	62
51277259	51
51277260	22
51277261	63,120,122
51277262	78
51277263	57
51277264	63,121
51277265	22,119
51277266	23

Article number	Page
51277267	24,121
51277270	63,120
51277271	51,122
51277272	40
51277273	40
51277274	40
51277275	25
51277276	51
51277277	57
51277278	25,29
51277279	40
51277280	72
51277281	73
51277282	73
51277283	57
51277284	52,121
51277285	17
51277286	41,121
51277287	71
51277288	58
51277289	71,121-122
51277290	64
51277291	25,66,120,122
51277292	64,66,120,122
51277295	52
51277296	26,121-122
51277297	41
51277298	26
51277299	26
51277300	27
51277301	58,120
51277302	28,120
51277303	58
51277304	28,120
51277305	41
51277306	52
51277307	42,121
51277308	59,121
51277309	28,120
51277310	28
51277311	42
51277312	42
51277313	52
51277317	64
51277318	43,121
51277319	29,119
51277320	65
51277321	76,120
51277322	43

Article number	Page
51277323	53
51277325	65
51277326	65,121
51277328	29
51277331	121
51277332	66
51277333	29,119
51277335	18,122
51277336	53,121
51277337	29,119
51277338	43,119
51277339	80
51277340	43,121-122
51277341	53,121
51277342	66
51277343	30
51277344	80
51277345	73
51277346	17,119
51277347	30,121
51277348	44,121
51277349	66,121
51277350	74,121-122
51277351	30
51277352	30,121
51277353	31
51277355	59
51277356	31
51277357	31
51277358	44
51277359	53
51277360	66
51277361	74
51277362	77
51277363	78
51277364	31
51277365	18
51277366	44
51277367	67
51277368	54
51277369	45
51277370	32
51277371	32
51277372	45
51277373	67
51277374	80
51277375	27
51277379	67
51277380	32

Article number	Page
51277381	67
51277382	33
51277383	68
51277384	33
51277385	54
51277387	68,121
51277389	26,28,40-42,51-52,54,58,63-65,72-73,76,78,80,103
51277390	28,41,56,63-65,72-73,76,78,80,103
51277391	92
51277392	92
51277394	103
51277395	50,78,80,91
51277396	104
51277397	104
51277398	68
51277399	33
51277400	34
51277401	54
51277402	68
51277403	69
51277404	45
51277405	45
51277406	46
51277407	34
51277408	46
51277409	78
51277410	59
51277411	79
51277412	74
51277413	34
51277414	35
51277415	46
51277416	35
51277417	35
51277418	46
51277419	54
51277420	59
51277421	35
51277422	46
51277423	55
51277424	47
51277425	69
51277426	47
51277427	47
51277430	83
51277431	36
51277432	36
51277433	36
51277434	36

Article number	Page
51277435	37
51277436	37
51277437	69
51277438	69
51277439	47
51277440	55
51277441	48
51277442	55
51277443	37
51277444	37
51277447	38
51277448	60
51277450	74
51277451	81
51277452	48
51277453	55
51277454	70
51277455	75
51277457	38
51277459	48
51277460	48
51277461	70
51277462	48
51277463	49
51277500	38
51277930	13
51277945	13
51277975	13
51280030	112
51280040	112
51305532	85
51305634	86
54271025	110
54271026066	111
54271027	112
54271035	115
54271045	118
54272015	109
54277001	123
54277010	119
54277020	120
54277030	121
54277040	121
54277050	122
54280003	112
54280004	112
70277300	27
99994521	110,115
99994522	112
99994523	123
99994524	123
99994534	123
99994540	123



KATALOG04
INSTALLATION




KATALOG06
LIGHTING



KATALOG08
TOOLS



KATALOG13
ELECTRICS



BROSCH14
HIGHLIGHTS



KATALOG15
ATTACHMENT PARTS




KATALOG14
WORKLIGHTS



BROSCH24
DIAGNOSE ON DEMAND



BROSCH116
TRUCK+TRAILER



KATALOG12
REPSOLUTIONS



KATALOG09
BULBS



BROSCH151
A/C SERVICING



BROSCH144
AGRICULTURE



KATALOG38
KOSTAL



BROSCH143
AIRGUARD



KATALOGSB
SHOP TO GO



BROSCH1000
ASSORTMENTS

ELPARTS I JAKOPARTS

Concentrated technical know-how

from parts specialists Herth+Buss

Even the best experts in the workshop sometimes reach their limits. With our tutorials, our Workshop-Buddies share their expertise with you and help to make your daily work as easy and efficient as possible. Of course, practical tips and tricks are also included. Subscribe our channel and never miss another tutorial from us!

Your Workshop-Buddies
https://www.youtube.com/user/Fahrzeugteile



youtube.com/Fahrzeugteile

HERTH+BUSS

Herth+Buss Fahrzeugteile GmbH & Co. KG
Dieselstraße 2-4
DE-63150 Heusenstamm

Herth+Buss France SAS
ZA Portes du Vercors, 270 Rue Col de La Chau
FR-26300 Châteauneuf-sur-Isère

Herth+Buss Belgium SRL
Rue de Fisine 9
BE-5590 Achêne

Herth+Buss UK Ltd.
Unit 1 Dreadnought Business Park
GB-DY5 4TP Brierley Hill

Herth+Buss Iberica S.L.
C/ Altzutzate, 44 (Polígono de Areta)
ES-31620 Huarte Navarra

4 026736 418885 Katalog12EN I 08-2024

HERTH+BUSS