ELPARTS

LIGHTING Daytime running lights | Headlights | Lights | Reflectors | Warning equipment | Connection sets | Bulb sockets | Bulbs

herthundbuss.com

Bulbs

Passt immer!

HERTH+BUSS

“Real-life” implemented improvement process

We, the management are committed to the TQM concept, because we value the trust our customers place in us and want to maintain it in the long term.

We see our relationship with our customers as a partnership which must be constantly improved. As a result, we continuously check even established processes for opportunities for improvement.

And not because anyone is forcing us to do so, because we have met the criteria for the ISO certification for a long time.

Instead, we are motivated by the chance to achieve even better results in our work together and to help our customers to increase their competitiveness and hence secure their long-term success.

That is what we call a “real-life implemented improvement process”, and it is also what our many long-term customers especially appreciate about their cooperation with Herth+Buss.

We are certified according to:

- ISO 9001:2015 Quality management
- ISO 27001:2017 Information Security Management
- VDA 6.2 Quality management
- StVZO Verification

Content

	Lead	4 - 7
NEW	NEW in the catalogue	8 - 9
	Bulbs	10 - 53
	Sockets	54 - 65
	Article no. Index	66 - 71
	Index	72 - 75

1

2

ELPARTS

Electrics | Installation | Tools | Lighting

The specialist in vehicle electrics!

With our Elparts range we offer a comprehensive product spectrum that meets any requirement, from automobiles to commercial vehicles. This is our professional workshop solution and that's why we're always first choice.

Our services for you:

- over 6,200 universal parts
- over 3,000 vehicle-specific parts with 666,000 vehicle links
- comprehensive range for all vehicle types
- exactly fitting parts allocation
- professional-quality solutions from Herth+Buss

Passt immer!

ELECTRICS

- Signal devices
- Signal units
- Relays
- Control units
- Switches
- Actuators+Sensors
- Voltage transformers
- Inverter
- Alternators+Starters
- Wash water pump
- Ignition system

INSTALLATION

- Connectors
- Attachment parts
- Cable straps
- Gaskets+Grommets
- Insulating tape
- Hoses+Pipes
- Cables+ Cable connections
- Battery accessories
- Plug housings
- Fuses
- Plugs+Sockets
- Assortments

TOOLS

- Release tools
- Pliers
- Service+Diagnostics
- Measuring technology
- Battery management
- Processing+Installation
- Workshop lamps

LIGHTING

- Daytime running lights
- Headlights
- Lights
- Reflectors
- Warning equipment
- Connection sets
- (Lamp) sockets
- Bulbs

HERTH+BUSS

» IP CODE

Overview of IP-Code components (extract)

The protection categories are indicated by an abbreviation which is comprised of the letters IP (International Protection) which always remain the same, followed by two code numbers which represent the degree of protection.

The first code number represents the degree of protection against contact and foreign bodies, and the second represents the degree of protection against damage caused by water penetration.

First no.	Level of protection against touch	Level of protection against intrusion of foreign bodies	Second no.	Level of protection against water penetration
0	not protected	not protected	0	not protected
1	back of hand	object with Ø over 50 mm	1	vertical droplets
2	finger	object with Ø over 12,5 mm	2	droplets at 15° tilt
3	tools	object with Ø over 2,5 mm	3	spraying water
4	thin wire	object with Ø over 1 mm	4	splashing water
5	thin wire	dust-protected	4K	splashing water, at high pressure, only for road vehicles
6	complete	dust-tight	5	water jets
X	not checked	not checked	6	powerful water jets
			6K	powerful water jets, at high pressure (flooding), only for road vehicles
			7	temporary submersion
			8	continuous submersion
			9K	for pressure/steam jet cleaning, only for road vehicles, for use with end cap

Example: IP-Code 65

First code number 6 = complete touch protection and dust-protected

Second code number 5 = protected against water jets

» PRACTICAL EXAMPLE

You have found a crimp connector in the Installation Catalogue (Katalog04EN), for example, then you see the corresponding pliers or release tool listed as accessories. Comprehensive information on these tools is then provided in the Tools Catalogue (Katalog08EN).

Catalogue — Article — Accessories — Accessories — Catalogue

» VDA

Installation by specialist only

The VDA working group for suppliers' aftermarket business is the representative of parts manufacturers in the German automotive industry, with their global heads in the aftermarket area. One of the main issues addressed by the group is the use of parts safety to constantly guarantee or increase road safety for drivers.

It has been noted that driver safety can be especially put at risk by improper installation of parts that are intended for installation by a workshop, not unqualified persons.

The aftermarket working group has therefore commissioned a pictogram for "Installation by specialist only". This pictogram for international use can be attached to the packaging of workshop parts for information purposes and indicates to the consumer that installation by a specialist workshop is recommended. The pictogram symbol has been developed as part of a market research study and successfully tested for clear understanding in a range of countries.

VDA | Verband der Automobilindustrie

» LEGAL INFORMATION

With the publication of this catalogue, all previous offers lose their validity. Only our order confirmation shall be relevant for the subject matter of the contract. We shall supply exclusively on the basis of the latest version of our general conditions of sale and delivery.

The catalogue is intended for the commercial sector only. All information in this catalogue has been carefully researched and reproduced. Technical modifications in the course of further development and variations in the shape, colour and the allocation of article numbers for each product described are reserved. In particular, we do not guarantee the complete consistency of the illustrations with the product. Claims for compensation due to printing errors or other incorrect and/or incomplete information are excluded, unless we are liable for intent or gross negligence or damages are due for bodily injury, loss of life or damage to the health of a person.

The reproduction of genuine part numbers or competitor article numbers is for the purposes of comparison only. The article numbers listed in this catalogue are the intellectual property of Herth+Buss Fahrzeugteile GmbH & Co. KG. Furthermore, we retain all rights for the documents. Reproduction, even in part, is only permitted with our prior written permission.

The products supplied by us may only be used for their intended purpose. Fitting must only be performed by trained specialists.

New in the catalogue!

NEW 12 ARTICLES!

Description	Article number	Page
Bulbs		
Bulb	89901335	20
Bulb	89901330	21
Bulb	89901331	21
Bulb	89901312	23
Bulb	89901319	23
Bulb	89901310	27
Bulb	89901311	27
Bulb	89901324	27
Bulb	89901325	29
Bulb	89901327	32
Bulb	89901328	32
Plastic bulb	89901292	43

ELPARTS | JAKOPARTS

EPC, the Herth+Buss App

7,700 Elparts products from the field of vehicle electronics
18,300 Jakoparts spare parts for over
7,700 Japanese and Korean vehicle models

Google play

Available on the App Store

ELPARTS | JAKOPARTS

HERTH+BUSS

Bulbs

Assortment, plastic bulb	**49**
Brake Light Insert	**50**
Bulb	**15 - 35**
Bulbs Assortment	**38 - 40**
Indicator Insert	**50 - 52**
Light Insert, brake/tail light	**51**
Park/Position Light Insert	**51**
Plastic bulb	**42 - 47**

Bulb

H1

H1
Page 15

H2

H2
Page 15

H3

H3
Page 15

H4

H4
Page 16

HS1

HS1
Page 16

H7

H7
Page 16

R2 (Bilux)

R2
Page 17

HIR2

HIR2
Page 17

P13W

P13W
Page 17

PS19W

PS19W
Page 17

PSX24W

PSX24W
Page 18

HB3

HB3
Page 18

HB4

HB4
Page 18

H8

H8
Page 18

H9

H9
Page 19

H10

H10
Page 19

H11

H11
Page 19

H12

H12
Page 19

H15

H15
Page 20

H16

H16
Page 20

H27W/1

H27W/1
Page 20

H27W/2

H27W/2
Page 20

886

886
Page 21

896

896
Page 21

D1S

D1S
Page 21

D1R

D1R
Page 21

D2S

D2S
Page 22

D2R

D2R
Page 22

D3S

D3S
Page 22

D3R

D3R
Page 23

D4S

D4S
Page 23

D4R

D4R
Page 23

R2 (Bilux)

R2
Page 23

S1

S1
Page 24

S2

S2
Page 24

F2

F2
Page 24

U

U
Page 24

S3

S3
Page 25

P21W

P21W
Page 25

P21W

P21W
Page 25

PY21W

PY21W
Page 25

PR21W

PR21W
Page 26

PR21/5W

PR21/5W
Page 26

P21/ 5W

P21/5W
Page 26

P21/ 5W

P21/5W
Page 26

P21/4W

P21/4W
Page 27

P27W

P27W
Page 27

P27/7W

P27/7W
Page 27

PY27/7W

P27/7W
Page 27

R 12V/18W

R 12V/18W
Page 28

P15W

P15W
Page 28

R10W

R10W
Page 28

R10W

R10W
Page 28

RY10W

RY10W
Page 29

R5W

R5W
Page 29

R5W

R5W
Page 29

T4W

T4W
Page 29

H

H
Page 30

J

J
Page 30

Page 30

H5W

H5W
Page 30

H10W

H10W
Page 31

H20W

H20W
Page 31

H6W

H6W
Page 31

H21W

H21W
Page 31

HY21W

HY21W
Page 32

W21W

W21W
Page 32

WY21W

WY21W
Page 32

W21/5W

W21/5W
Page 32

W16W

W16W
Page 33

W5W

W5W
Page 33

W3W

W3W
Page 33

W2W

Page 33

T5

T5
Page 34

T5

T5
Page 34

M

M
Page 34

M

Page 34

C5W

C5W
Page 35

K (5W)

Page 35

K (18W)

Page 35

Page 35

» EXAMPLE

Bulb socket

The most important data can be read from the embossing on the bulb socket!





H1

Bulb

This bulb generates 50 percent more light than a standard bulb.

Socket Version: P14,5s **Bulb Type:** H1

Voltage V	Rated Power W	Version	Bulb	DU	Article no.
12	55			1	**89901092**
			●	1	**89901216**
		+ 50%		1	**89901297**
		LongLife		1	**89901021**
24	70			1	**89901093**
		HD		1	**89901052**

Accessories	see	DU	
Bulb plug	Page 62	1	**50390297**

H2

Bulb



Socket Version: X511 **Bulb Type:** H2

Voltage V	Rated Power W	DU	Article no.
12	55	1	**89901096**
24	70	1	**89901099**

H3

Bulb



Socket Version: PK22s **Bulb Type:** H3

Version	Voltage V	Rated Power W	DU	Article no.
	12	55	1	**89901094**
	24	70	1	**89901095**
	48	60	1	**89901097**
HD	24	70	1	**89901053**

H4

This bulb generates 50 percent more light than a standard bulb.

Bulb

Socket Version: P43t **Bulb Type:** H4

Voltage V	Rated Power W	Version	Bulb	DU	Article no.
12	60/55			1	**89901100**
			●	1	**89901218**
		+ 50%		1	**89901290**
		HD		1	**89901050**
		LongLife		1	**89901051**
24	75/70			1	**89901101**
		HD		1	**89901098**

Accessories	see	DU	
Bulb plug	Page 62	1	**50290319**

HS1

Socket Version: PX43t **Bulb Type:** HS1

Bulb

Voltage V	Rated Power W	DU	Article no.
12	35/35	1	**89901034**

Accessories	see	DU	
Bulb plug	Page 62	1	**50290319**

H7

This bulb generates 50 percent more light than a standard bulb.

Bulb

Socket Version: PX26d **Bulb Type:** H7

Voltage V	Rated Power W	Version	Bulb	DU	Article no.
12	55			1	**89901202**
			●	1	**89901217**
		+ 50%		1	**89901291**
		LongLife		1	**89901295**
		SuperLongLife		1	**89901307**
24	70			1	**89901207**
		HD		1	**89901054**

Accessories	see	DU	
Bulb plug	Page 63	1	**50390299**

R2

for use with asymmetrical Bilux headlight P45t

Bulb

Halogen

Socket Version: P45t-41 **Bulb Type:** R2 (Bilux)

Voltage V	Rated Power W	DU	Article no.
12	45/40	1	**89901203**
24	55/50	1	**89901208**

Accessories	see	DU	
Bulb plug	Page 62	1	**50290319**

HIR2

Bulb

Socket Version: PX22d **Bulb Type:** HIR2

Voltage V	Rated Power W	DU	Article no.
12	55	1	**89901306**

P13W

Bulb

Socket Version: PG18,5d-1 **Bulb Type:** P13W

Voltage V	Rated Power W	DU	Article no.
12	13	1	**89901332**

PS19W

Bulb

Socket Version: PG20-1 **Bulb Type:** PS19W

Voltage V	Rated Power W	DU	Article no.
12	19	1	**89901333**

PSX24W

Socket Version: PG20-7 **Bulb Type:** PSX24W

Bulb

Voltage V	Rated Power W	Light Function	DU	Article no.
12	24	for fog lamp	1	**89901334**

HB3

Socket Version: P20d **Bulb Type:** HB3

Bulb

Voltage V	Rated Power W		DU	Article no.
12	60		1	**89901128**
Accessories		**see**	**DU**	
Bulb plug		Page 63	1	**50390440**

HB4

Socket Version: P22d **Bulb Type:** HB4

Bulb

Voltage V	Rated Power W		DU	Article no.
12	51		1	**89901129**
Accessories		**see**	**DU**	
Bulb plug		Page 63	1	**50390439**

H8

Socket Version: PGJ19-1 **Bulb Type:** H8

Bulb

Voltage V	Rated Power W		DU	Article no.
12	35		1	**89901168**
Accessories		**see**	**DU**	
Bulb plug		Page 63	1	**50390441**

H9

Socket Version: PGJ19-5 **Bulb Type:** H9

Bulb

Voltage V	Rated Power W	DU	Article no.
12	65	1	**89901296**

H10

Socket Version: PY20d **Bulb Type:** H10

Bulb



Voltage V	Rated Power W	DU	Article no.
12	42	1	**89901305**

H11

Socket Version: PGJ19-2 **Bulb Type:** H11

Bulb

Voltage V	Rated Power W	DU	Article no.
12	55	1	**89901110**
24	70	1	**89901309**

Accessories	see	only for	DU	
Bulb plug	Page 63	89901110	1	**50390441**

H12

Socket Version: PZ20d **Bulb Type:** H12

Bulb

Voltage V	Rated Power W	DU	Article no.
12	53	1	**89901300**

Accessories	see	DU	
Bulb plug	Page 63	1	**50390440**

H15

Socket Version: PGJ23t-1 **Bulb Type:** H15

Bulb

Voltage V	Rated Power W		DU	Article no.
12	55/15		1	**89901335**

H16

Socket Version: PGJ19-3 **Bulb Type:** H16

Bulb



Voltage V	Rated Power W	Version	DU	Article no.
12	19	LL	1	**89901308**

Accessories	see	DU	
Bulb plug	Page 63	1	**50390441**

H27W/1

Socket Version: PG13 **Bulb Type:** H27W/1

Bulb

Voltage V	Rated Power W	DU	Article no.
12	27	1	**89901301**

Accessories	see	DU	
Bulb plug	Page 63	1	**50390441**

H27W/2

Socket Version: PGJ13 **Bulb Type:** H27W/2

Bulb

Voltage V	Rated Power W	DU	Article no.
12	27	1	**89901302**

Accessories	see	DU	
Bulb plug	Page 63	1	**50390441**

886

Bulb

Socket Version: PGJ13
Bulb Type: 886
Registration Type: not E Type certified not permitted on public roads

Voltage V	Rated Power W		DU	Article no.
12	50		1	**89901330**

896

Bulb

Socket Version: PGJ13
Bulb Type: 896
Registration Type: not E Type certified not permitted on public roads

Voltage V	Rated Power W		DU	Article no.
12	37,5		1	**89901331**

D1S

Bulb

Xenon

Socket Version: PK32d-2
Bulb Type: D1S (gas discharge tube)

Voltage V	Rated Power W	DU	Article no.
85	35	1	**89901320**

D1R

Bulb

Xenon

Socket Version: PK32d-3
Bulb Type: D1R(gas discharge tube)

Voltage V	Rated Power W	DU	Article no.
85	35	1	**89901321**

D2S

Socket Version: P32d-2 **Bulb Type:** D2S(gas discharge tube)

Bulb

Xenon

Voltage V	Rated Power W	DU	Article no.
85	35	1	**89901220**

D2R

Socket Version: P32d-3 **Bulb Type:** D2R(gas discharge tube)

Bulb

Xenon

Voltage V	Rated Power W	DU	Article no.
85	35	1	**89901221**

D3S

Socket Version: PK32d-5 **Bulb Type:** D3S (Gas Discharge Lamp)

Bulb

Xenon

Voltage V	Rated Power W	DU	Article no.
42	35	1	**89901313**

D3R

Bulb

Xenon

Socket Version: PK32d-6 **Bulb Type:** D3R
Gas Discharge Lamp

Voltage V	Rated Power W		DU	Article no.
42	35		1	**89901312**

D4S

Bulb

Xenon

Socket Version: P32d-5 **Bulb Type:** D4S (Gas Discharge Lamp)

Voltage V	Rated Power W	DU	Article no.
42	35	1	**89901314**

D4R

Bulb

Xenon

Socket Version: P32d-6 **Bulb Type:** D4R
Gas Discharge Lamp

Voltage V	Rated Power W		DU	Article no.
42	35		1	**89901319**

R2

Bulb

Socket Version: P45t **Bulb Type:** R2 (Bilux)

Voltage V	Rated Power W	DU	Article no.
12	40/45 45/40	1	**89901090**
24	55/50	1	**89901091**

Accessories	see	DU	
Bulb plug	Page 62	1	**50290319**

S1

Bulb

Socket Version: BA20d
Bulb Type: S1
Diameter: 36 mm
Height: 71 mm
Shape: Symmetric

Voltage V	Rated Power W	DU	Article no.
12	25/25	1	**89901087**

S2

Bulb

Socket Version: BA20d
Bulb Type: S2
Diameter: 36 mm
Height: 71 mm
Shape: Symmetric

Voltage V	Rated Power W	DU	Article no.
12	35/35	1	**89901113**

F2

Bulb

Socket Version: BA20s
Bulb Type: F2
Diameter: 36 mm
Height: 67 mm
Registration Type: not permitted on public roads
not E Type certified

Rated Power W	Voltage V	DU	Article no.
35	12	1	**89901078**
	24	1	**89901116**

U

Bulb

Socket Version: BA15s
Bulb Type: U
Diameter: 36 mm
Height: 58 mm
Registration Type: not permitted on public roads
not E Type certified

Voltage V	Rated Power W	DU	Article no.
24	45	1	**89901145**

S3

Bulb

Socket Version: P26s **Diameter:** 26 mm
Bulb Type: S3 **Height:** 48 mm

Rated Power W	Voltage V	DU	Article no.
15	6	10	**89901185**
	12	10	**89901187**

P21W

Bulb

Socket Version: BA15s **Diameter:** 26,5 mm
Bulb Type: P21W **Height:** 52,5 mm

Rated Power W	Voltage V	Version	DU	Article no.
21	6		10	**89901146**
	12		10	**89901102**
	24		10	**89901105**
		HD	10	**89901147**
		HDLL	10	**89901317**

P21W

Bulb

Socket Version: BA15d **Diameter:** 26,5 mm
Bulb Type: P21W **Height:** 52,5 mm

Voltage V	Rated Power W	DU	Article no.
24	21	10	**89901084**

PY21W

Bulb

Socket Version: BAU15s **Diameter:** 26,5 mm
Bulb Type: PY21W **Height:** 52,5 mm

Rated Power W	Voltage V	Bulb	DU	Article no.
21	12	●	10	**89901190**
	24	●	10	**89901191**

PR21W

Bulb

Socket Version: BAW15s **Bulb Type:** Socket Bulb PR21W

Voltage V	Rated Power W	Bulb	DU	Article no.
12	21		10	**89901303**

PR21/5W

Bulb

Socket Version: BAW15d **Bulb Type:** Socket Bulb PR21/5W

Voltage V	Rated Power W	Bulb	DU	Article no.
12	21/5		10	**89901304**

P21/5W

Bulb

Socket Version: BAY15d **Diameter:** 26,5 mm
Bulb Type: P21/ 5W **Height:** 52,5 mm

Rated Power W	Version	Voltage V	DU	Article no.
21/5		6	10	**89901186**
		12	10	**89901103**
		24	10	**89901181**
	HDLL		10	**89901318**

P21/5W

Bulb

Socket Version: BA15d **Height:** 52,5 mm
Bulb Type: P21/ 5W **Registration Type:** not permitted on public roads
Diameter: 26,5 mm not E Type certified

Rated Power W	Voltage V	DU	Article no.
21/5	12	10	**89901075**
	24	10	**89901074**

P21/4W

Bulb

Socket Version: BAZ15d, BAZ15s
Bulb Type: P21/4W
Diameter: 26,5 mm
Height: 52,5 mm

Rated Power W	Voltage V	DU	Article no.
21/4	12	10	**89901195**
	24	10	**89901223**

P27W

Bulb

Socket Version: W2,5x16d
Bulb Type: P27W
Diameter: 26,5 mm
Height: 53 mm

Voltage V	Rated Power W		DU	Article no.
12	27		10	**89901310**

P27/7W

Bulb

Socket Version: W2,5x16q
Bulb Type: P27/7W
Diameter: 26,5 mm
Height: 53 mm

Voltage V	Rated Power W		DU	Article no.
12	27/7		10	**89901311**

P27/7W

Bulb



Socket Version: WX2,5x16q
Bulb Type: PY27/7W
Diameter: 26,5 mm
Height: 53 mm

Voltage V	Rated Power W	Bulb		DU	Article no.
12	27/7			10	**89901324**

R 12V/18W

Bulb

Socket Version: BA15s
Bulb Type: R 12V/18W
Diameter: 26,5 mm
Height: 45 mm
Registration Type: not permitted on public roads
not E Type certified

Rated Power W	Voltage V	DU	Article no.
18	12	10	**89901107**
	24	10	**89901148**

P15W

Bulb

Socket Version: BA15s
Bulb Type: P15W
Diameter: 26,5 mm
Height: 45 mm
Registration Type: not permitted on public roads
not E Type certified

Rated Power W	Voltage V	DU	Article no.
15	12	10	**89901076**
	24	10	**89901019**

R10W

Bulb

Socket Version: BA15s
Bulb Type: R10W
Diameter: 16,5 mm
Height: 37,5 mm

Rated Power W	Voltage V	Version	DU	Article no.
10	12		10	**89901141**
	24		10	**89901143**
		HD	10	**89901109**
		HDLL	10	**89901316**

R10W

Bulb

Socket Version: BA15d
Bulb Type: R10W
Diameter: 16,5 mm
Height: 37,5 mm

Voltage V	Rated Power W	DU	Article no.
24	10	10	**89901069**

RY10W

Bulb

Socket Version: BAU15s **Bulb Type:** RY10W

Voltage V	Rated Power W	Bulb		DU	Article no.
12	10			10	**89901325**

R5W

Bulb

Socket Version: BA15s **Diameter:** 16,5 mm
Bulb Type: R5W **Height:** 37,5 mm

Rated Power W	Voltage V	Version	DU	Article no.
5	12		10	**89901140**
	24		10	**89901142**
		HD	10	**89901108**
		HDLL	10	**89901315**

R5W

Bulb

Socket Version: BA15d **Diameter:** 16,5 mm
Bulb Type: R5W **Height:** 37,5 mm

Voltage V	Rated Power W	DU	Article no.
24	5	10	**89901082**

T4W

Bulb

Socket Version: BA9s **Diameter:** 8,5 mm
Bulb Type: T4W **Height:** 27,4 mm

Rated Power W	Voltage V	Version	Bulb	DU	Article no.
4	12			10	**89901132**
				10	**89901136**
	24			10	**89901133**
		HD		10	**89901134**

H

Bulb

Socket Version: BA9s
Bulb Type: H
Diameter: 8,8 mm
Height: 23,9 mm
Registration Type: not permitted on public roads

Rated Power W	Voltage V	DU	Article no.
2	12	10	**89901130**
	24	10	**89901131**

J

Bulb

Socket Version: BA7s
Bulb Type: J
Diameter: 6,8 mm
Height: 20,7 mm
Registration Type: not permitted on public roads, not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	2	10	**89901120**
24	3	10	**89901121**

Bulb

Socket Version: SM5s/8
Bulb Type: Socket Bulb
Diameter: 5 mm
Height: 15,5 mm
Registration Type: not permitted on public roads, not E Type certified

Voltage V	Rated Power W	Version	DU	Article no.
1,5	0,9	Schlüsselbeleuchtung	10	**89901088**

H5W

Bulb

Socket Version: BA9s
Bulb Type: H5W
Diameter: 10 mm
Height: 30 mm
Registration Type: not permitted on public roads, not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	5	10	**89901135**

H10W

Bulb

Socket Version: BA9s
Bulb Type: H10W
Diameter: 10 mm
Height: 30 mm
Registration Type: not permitted on public roads not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	10	10	**89901165**

H20W

Bulb

Socket Version: BA9s
Bulb Type: H20W
Diameter: 10 mm
Height: 30 mm
Registration Type: not permitted on public roads not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	20	10	**89901166**

H6W

Bulb

Socket Version: BAX9s
Bulb Type: H6 W
Diameter: 10 mm
Height: 30 mm
Registration Type: not permitted on public roads not E Type certified

Voltage V	Rated Power W	Bulb	DU	Article no.
12	6		10	**89901245**
			10	**89901035**

H21W

Bulb

Socket Version: BAY9s
Bulb Type: H21 W
Diameter: 10 mm
Height: 30 mm

Rated Power W	Voltage V	DU	Article no.
21	12	10	**89901163**
	24	10	**89901164**

HY21W

Bulb

Halogen

Socket Version: BAW9s **Bulb Type:** HY21W

Rated Power W	Voltage V	Bulb		DU	Article no.
21	12	●	●	10	**89901327**
	24	●	●	10	**89901328**

W21W

Bulb



Socket Version: W3x16d **Diameter:** 20 mm
Bulb Type: W21W **Height:** 42 mm

Voltage V	Rated Power W	DU	Article no.
12	21	10	**89901196**

WY21W

Bulb



Socket Version: WX3x16d **Diameter:** 20 mm
Bulb Type: WY21W **Height:** 42 mm

Voltage V	Rated Power W	Bulb	DU	Article no.
12	21	●	10	**89901079**

W21/5W

Bulb



Socket Version: W3x16q **Diameter:** 20 mm
Bulb Type: W21/5W **Height:** 42 mm

Voltage V	Rated Power W	DU	Article no.
12	21/5	10	**89901197**

W16W

Socket Version: W2,1x9,5d **Diameter:** 15,7 mm
Bulb Type: W16W **Height:** 26,8 mm

Bulb



Voltage V	Rated Power W	DU	Article no.
12	16	10	**89901274**

W5W

Socket Version: W2,1x9,5d **Diameter:** 10,29 mm
Bulb Type: W5W **Height:** 26,8 mm

Bulb



Rated Power W	Voltage V	Bulb	DU	Article no.
5	12		10	**89901198**
			10	**89901178**
			10	**89901175**
	24		10	**89901177**

W3W

Socket Version: W2,1x9,5d **Diameter:** 10,29 mm
Bulb Type: W3W **Height:** 26,8 mm

Bulb



Rated Power W	Voltage V	DU	Article no.
3	12	10	**89901173**
	24	10	**89901174**

Bulb

Socket Version: W2,1x9,5d **Diameter:** 10,29 mm
Bulb Type: W2W **Height:** 26,8 mm



Rated Power W	Voltage V	DU	Article no.
2	12	10	**89901172**
	24	10	**89901169**

T5

Bulb

Socket Version: KW2x4,6d
Bulb Type: T5
Diameter: 5 mm
Height: 20 mm

Voltage V	Rated Power W	Bulb	DU	Article no.
12	1,2		10	**89901192**

T5

Bulb

Socket Version: W2x4,6d
Bulb Type: T5
Diameter: 5 mm
Height: 20 mm

Voltage V	Rated Power W	DU	Article no.
12	1,2	10	**89901170**
	2,3	10	**89901123**
24	1,2	10	**89901171**

M

Bulb

Socket Version: SV7-8
Bulb Type: M
Festoon lamp
Diameter: 8,2 mm
Length: 28 mm
Registration Type: not permitted on public roads
not E Type certified

Rated Power W	Voltage V	DU	Article no.
3	12	10	**89901157**
	18	10	**89901040**
	24	10	**89901020**

Bulb

Socket Version: SV8,5-8
Bulb Type: M
Festoon lamp
Diameter: 11 mm
Length: 28 mm
Registration Type: not permitted on public roads
not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	5	10	**89901154**
	10	10	**89901153**

C5W

Socket Version: SV8,5-8
Bulb Type: C5W Festoon lamp
Diameter: 11 mm
Length: 36 mm

Bulb



Voltage V	Rated Power W	DU	Article no.
12	5	10	**89901150**
	10	10	**89901081**
24	5	10	**89901152**

Bulb



Socket Version: S8 5 SV8,5-8
Bulb Type: K (5W) Festoon lamp
Diameter: 11 mm
Length: 44 mm
Registration Type: not permitted on public roads not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	5	10	**89901159**
	10	10	**89901151**
24	5	10	**89901160**
	10	10	**89901158**

Bulb



Socket Version: SV8,5-8
Bulb Type: K (18W) Festoon lamp
Diameter: 15,5 mm
Length: 41 mm
Registration Type: not permitted on public roads not E Type certified

Voltage V	Rated Power W	DU	Article no.
12	18	10	**89901155**
	21	10	**89901162**
24	18	10	**89901156**

Bulb

Socket Version: BA15d
Bulb Type: Socket Bulb
Diameter: 26 mm
Length: 57 mm
Registration Type: not E Type certified not permitted on public roads
Light Function: for work light

Voltage V	Rated Power W	Version	DU	Article no.
24	25	HD	1	**89901009**

» BULB OVERVIEW



Low beam | Main beam | Daytime running light

HB1 HB3 HB4 H1 H4 H7 H9

H11 H15 H16 886 896 D1S D1R

D2S D2R D3S D3R D4S D4R R2

Fog light

H1 **H3** **H8** **H10** **H11** H12 H16 H27W/1 H27W/2

Parking- | Position light

P13W PS19W PSX24W W3W W5W T4W H6W

Indicator collateral

W5W WY5W

Front indicator

W21W P21W PY21W H21W HY21W

Instrument lighting

W3W W1,2W BAX



Interior lighting

W5W C5W 10W H10W



Glove box

C5W W5W

Rear fog light

W21W P21W

Rear indicator

P21W PY21W H21W W21W

Reversing light

W21W P21W

Brake light

PR21W W21W P21W

Brake- | Taillight

P21/4W W21/5W P21/5W PR21/5W

Licence plate light

W5W T4W C5W

Taillight

W5W T4W C5W

Boot interior light

10W C5W



ELPARTS

LIGHTING Daytime running lights | Headlights | Lights | Reflectors | Warning equipment | Connection sets | Bulb sockets | Bulbs

The A1 fold-out poster

An overview of the most up-to-date bulbs from our Elparts range.

Poster40DE | 08-2015
4 026736 403966

ELPARTS | JAKOPARTS

HERTH+BUSS

Bulbs Assortment

H7

Page 38

H7

Page 39

H4

Page 39

H4

Page 39

H4

Page 40

» ADAC

The ADAC requires that every vehicle is equipped with a spare bulb box. This is already mandatory in several European countries!

Bulbs Assortment

Voltage: 12 V **Material:** Plastic

Bulb Type					DU	Article no.
H7					1	**89900108**
Content	**Rated current A**	**Socket Version**	**Rated Power W**	**Colour**	**QU**	
Bulb H7		PX26d	55		1	**89901202**
Bulb P21W		BA15s	21		1	**89901102**
Bulb PY21W		BAU15s	21		1	**89901190**
Bulb R5W		BA15s	5		1	**89901140**
Bulb T4W		BA9s	4		1	**89901132**
Bulb W5W		W2,1x9,5d	5		1	**89901175**
Fuse ATO	10				1	**50295410**
	15				1	**50295415**
	20				1	**50295420**
	30				1	**50295430**

Bulbs Assortment

Voltage: 24 V **Material:** Plastic

Bulb Type					DU	Article no.
H7					1	**89900114**
Content	**Rated current A**	**Socket Version**	**Rated Power W**	**Colour**	**QU**	
Bulb		SV8,5-8	10		2	**89901158**
Bulb H7		PX26d	70		2	**89901207**
Bulb P21W		BA15s	21		2	**89901105**
Bulb PY21W		BAU15s	21		2	**89901191**
Bulb R10W		BA15s	10		2	**89901143**
Bulb T4W		BA9s	4		2	**89901133**
Fuse ATO	10			red	2	**50295410**
	15			blue	2	**50295415**
	25			white	2	**50295425**

Bulbs Assortment

Voltage: 12 V **Material:** Plastic

Bulb Type					DU	Article no.
H4					1	**89900106**
Content	**Rated current A**	**Socket Version**	**Rated Power W**	**Colour**	**QU**	
Bulb H4		P43t	60/55		1	**89901100**
Bulb P21W		BA15s	21		1	**89901102**
Bulb R5W		BA15s	5		1	**89901140**
Bulb T4W		BA9s	4		1	**89901132**
Fuse ATO	10			red	1	**50295410**
	15			blue	1	**50295415**

Bulbs Assortment

Voltage: 24 V

Bulb Type					DU	Article no.
H4					1	**89900109**
Content	**Rated current A**	**Socket Version**	**Rated Power W**	**Colour**	**QU**	
Bulb C5W		SV8,5-8	5		1	**89901152**
Bulb H4		P43t	75/70		1	**89901101**
Bulb P21W		BA15s	21		2	**89901105**
Bulb R10W		BA15s	10		1	**89901143**
Bulb T4W		BA9s	4		1	**89901133**
Fuse ATO	10			red	1	**50295410**
	15			blue	1	**50295415**
	25			white	1	**50295425**

Bulbs Assortment

Voltage: 24 V **Material:** Plastic

Bulb Type					DU	Article no.
H4					1	**89900113**
Content	**Rated current A**	**Socket Version**	**Rated Power W**	**Colour**	**QU**	
Bulb		SV8,5-8	10		2	**89901158**
Bulb H4		P43t	75/70		2	**89901101**
Bulb P21W		BA15s	21		4	**89901105**
Bulb R10W		BA15s	10		2	**89901143**
Bulb T4W		BA9s	4		2	**89901133**
Fuse ATO	10				1	**50295410**
	15				1	**50295415**
	20				1	**50295420**

Plastic bulb

Page 42

Page 42

Page 42

Page 43

Page 43

Page 43

Page 43

Page 43

Page 44

Page 44

Page 44

Page 44

Page 44

Page 45

Page 45

Page 45

Page 45

Page 46

Page 46

Page 46

Page 47

Page 47

Page 47

Page 47

» PLASTIC BULBS

We offer an extensive range of plastic bulbs. With a variety of different sockets, for 12 and 24V.
The plastic bulbs are mounted directly on the switch in the printed circuit board (instrument cluster), as with additional instruments (tachographs). The various sockets (BAX 8.4d; B 8.3d; EBS N etc.) and the colours of the plastic bulbs are particularly important. The different colours show the power of the bulbs in Watt or mA.

Plastic bulb

Socket Version: REF9 **Bulb Type:** Socket Bulb

Voltage V	Rated Power W	Number of Poles terminal	Connector	DU	Article no.
24	2,4	2		10	**89901070**

Plastic bulb

Socket Version: REF17 **Bulb Type:** Socket Bulb

Voltage V	Rated Power W	Number of Poles terminal	Version	Connector	DU	Article no.
12	2		unverspiegelt		10	**89901073**
24	1,2	2	verspiegelt		10	**89901071**

Plastic bulb

Socket Version: REF29 **Bulb Type:** Socket Bulb

Voltage V	Rated Power W	Number of Poles terminal	Version	Connector	DU	Article no.
24	1,4	2	unverspiegelt		10	**89901072**

Plastic bulb

Socket Version: KW2x4,6d
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901176**
24	1		10	**89901182**

Plastic bulb

Socket Version: KW2x4,6d
Bulb Type: Socket Bulb
Material: Plastic
Sheet Steel

Voltage V	Rated Power W	Bulb	Connector	DU	Article no.
12	0,5			10	**89901230**
24	1			10	**89901231**
	1,2			10	**89901249**

Plastic bulb

Socket Version: EBSC
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	0,6		10	**89901250**

Plastic bulb

Socket Version: EBS-R
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Bulb	Connector	DU	Article no.
24	1,2			10	**89901292**

Plastic bulb

Socket Version: EBSR4
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
24	1,2		10	**89901239**

Plastic bulb

Socket Version: EBSR6
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
24	1,2		10	**89901234**

Plastic bulb

Socket Version: EBSR10
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm

Voltage V	Rated Power W	Version	Connector	DU	Article no.
24	1,2	mattiert		10	**89901255**

Plastic bulb

Socket Version: EBSR11
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
24	1,4		10	**89901233**

Plastic bulb

Socket Version: EBSR12
Bulb Type: Socket Bulb
Diameter: 12,4 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Bulb	Connector	DU	Article no.
24	1,2			10	**89901248**

Plastic bulb

Socket Version: MFHZ BG8-5,5d
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901279**

Plastic bulb

Socket Version: MFJF
BG8,5-5,5d
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901278**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: B8,5S-40
MFSL
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901281**

Plastic bulb

Socket Version: B8,3d
Bulb Type: Socket Bulb
Diameter: 14,69 mm
Height: 19 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901240**
	2		10	**89901282**
24	1,2		10	**89901241**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: B8,4d
Bulb Type: Socket Bulb
Diameter: 12,38 mm
Height: 16 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901284**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: BX8,4d
Bulb Type: Socket Bulb
Diameter: 12,38 mm
Height: 17 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,1		10	**89901272**
	1,2		10	**89901235**
	1,3		10	**89901286**
	1,5		10	**89901273**
	2		10	**89901232**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: EBS-P29
BX8,4d
Bulb Type: Socket Bulb
Diameter: 12,5 mm
Height: 16,5 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
24	1,4		10	**89901289**

Plastic bulb

Socket Version: B8,5d
Bulb Type: Socket Bulb
Diameter: 12,37 mm
Height: 20 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901242**
	1,5		10	**89901275**
	2		10	**89901244**
24	1,2		10	**89901243**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: BX8,5d
Bulb Type: Socket Bulb
Diameter: 12,57 mm
Height: 22 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	0,4		10	**89901276**
	1		10	**89901283**
	1,2		10	**89901270**
	2		10	**89901277**
24	1,2		10	**89901285**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: B8,7d
Bulb Type: Socket Bulb
Diameter: 14,07 mm
Height: 22 mm
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	1,2		10	**89901280**
	2		10	**89901271**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

Plastic bulb

Socket Version: B10d
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
12	3		10	**89901263**

Plastic bulb

Socket Version: BAX10d
Bulb Type: Socket Bulb
Material: Plastic

Voltage V	Rated Power W	Connector	DU	Article no.
24	1,2		10	**89901256**
			10	**89901253**
	1,8		10	**89901287**
Accessories		**see**	**DU**	
Mounting/Dismantling Tool, plastic socket bulb		Katalog08	1	**95945430**

ELPARTS

LIGHTING Daytime running lights | Headlights | Lights | Reflectors | Warning equipment | Connection sets | Bulb sockets | Bulbs

Lighting: Spare parts for automotive lighting available here.

Lights on! A high-quality lighting program for commercial vehicles. From our Elparts range – the first choice for automotive electrical systems.

Passt immer!

ELPARTS | JAKOPARTS

HERTH+BUSS

Assortment, plastic bulb

Assortment, plastic bulb

Voltage: 12 V
Material: Plastic

Thanks to a range of plastic socket lamps, the most popular types are always available. This saves you valuable time during repair works.

			Quanti-ty	DU	Article no.
			60	1	**89900206**
Content	**Socket Version**	**Rated Power W**		**QU**	
Plastic bulb	B8,3d	1,2		5	**89901240**
	B8,4d	1,2		5	**89901284**
	B8,5d	1,2		5	**89901242**
	B8,5d	1,5		5	**89901275**
	B8,5d	2		5	**89901244**
	BX8,4d	1,1		5	**89901272**
	BX8,4d	1,2		5	**89901235**
	BX8,4d	1,3		5	**89901286**
	BX8,4d	1,5		5	**89901273**
	BX8,4d	2		5	**89901232**
	BX8,5d	1,2		5	**89901270**
	BX8,5d	2		5	**89901277**

Assortment, plastic bulb

Voltage: 12 V
Material: Plastic

Thanks to a range of plastic socket lamps, the most popular types are always available. This saves you valuable time during repair works.

			Quanti-ty	DU	Article no.
			90	1	**89900207**
Content	**Socket Version**	**Rated Power W**		**QU**	
Plastic bulb	B8,3d	1,2		5	**89901240**
	B8,3d	2		5	**89901282**
	B8,4d	1,2		5	**89901284**
	B8,5d	1,2		5	**89901242**
	B8,5d	1,5		5	**89901275**
	B8,5d	2		5	**89901244**
	B8,7d	1,2		5	**89901280**
	BX8,4d	1,1		5	**89901272**
	BX8,4d	1,2		5	**89901235**
	BX8,4d	1,5		5	**89901273**
	BX8,4d	2		5	**89901232**
	BX8,5d	0,4		5	**89901276**
	BX8,5d	1		5	**89901283**
	BX8,5d	1,2		5	**89901270**
	BX8,5d	2		5	**89901277**
	MFHZ BG8-5,5d	1,2		5	**89901279**
	MFJF BG8,5-5,5d	1,2		5	**89901278**

Indicator Insert

LED

Europoint II
Page 50

LED

Europoint II
Page 50

LED

Europoint II
Page 51

LED

Europoint III
Page 51

LED

Ecopoint
Page 51

LED

Ecopoint
Page 52

Europoint II

Indicator Insert

LED

Socket Version: BAU15s
Bulb Type: LED

Voltage V	Rated Power W	Light Function	Number of LEDs	DU	Article no.
24	1	for indicator	7	1	**89902010**

Accessories	see	DU	
Combination Rearlight Europoint II	Katalog06	1	**83830047**
	Katalog06	1	**83830048**
	Katalog06	1	**83830049**
	Katalog06	1	**83830078**
	Katalog06	1	**83830079**
	Katalog06	1	**83830080**
	Katalog06	1	**83830149**
	Katalog06	1	**83830157**
	Katalog06	1	**83830158**

Europoint II

Brake Light Insert

LED

Socket Version: BA15s
Bulb Type: LED

Voltage V	Rated Power W	Light Function	DU	Article no.
24	1	for stoplight	1	**89902011**

Accessories	see	DU	
Combination Rearlight Europoint II	Katalog06	1	**83830047**
	Katalog06	1	**83830048**
	Katalog06	1	**83830049**
	Katalog06	1	**83830078**
	Katalog06	1	**83830079**
	Katalog06	1	**83830080**
	Katalog06	1	**83830149**
	Katalog06	1	**83830157**
	Katalog06	1	**83830158**

Europoint II

Park/Position Light Insert

LED

Socket Version: BA15s
Bulb Type: LED

Voltage V	Rated Power W	Light Function	Number of LEDs	DU	Article no.
24	1	for taillight	2	1	**89902012**

Accessories	see	DU	
Combination Rearlight Europoint II	Katalog06	1	**83830048**
	Katalog06	1	**83830049**
	Katalog06	1	**83830078**
	Katalog06	1	**83830079**
	Katalog06	1	**83830080**
	Katalog06	1	**83830149**
	Katalog06	1	**83830157**
	Katalog06	1	**83830158**

Europoint III

Light Insert, brake/tail light

LED

Bulb Type: LED
Light Function: for stoplight
for taillight

Voltage V	Rated Power W	Fitting Position	DU	Article no.
24	1,5	Left	1	**89902024**
		Right	1	**89902025**

Accessories	see	only for	DU	
Combination Rearlight Europoint III	Katalog06	89902025	1	**83830405**
	Katalog06	89902025	1	**83830407**
	Katalog06	89902025	1	**83830409**

Ecopoint

Light Insert, brake/tail light

LED

Bulb Type: P21/ 5W
Light Function: for stoplight
for taillight

Voltage V	Rated Power W	Fitting Position	DU	Article no.
24	1	Left	1	**89902020**
		Right	1	**89902021**

Accessories	see	only for	DU	
Combination Rearlight Ecopoint	Katalog06	89902020	1	**83840835**
	Katalog06	89902021	1	**83840836**
	Katalog06	89902020	1	**83840837**
	Katalog06	89902021	1	**83840838**
	Katalog06	89902020	1	**83840840**
	Katalog06	89902020	1	**83840841**

Ecopoint

Indicator Insert

LED

Bulb Type: P21W
Light Function: for indicator

Voltage V	Rated Power W	Fitting Position	DU	Article no.
24	1	Left	1	**89902022**
		Right	1	**89902023**

Accessories	see	only for	DU	
Combination Rearlight Ecopoint	Katalog06	89902022	1	**83840835**
	Katalog06	89902023	1	**83840836**
	Katalog06	89902022	1	**83840837**
	Katalog06	89902023	1	**83840838**
	Katalog06	89902022	1	**83840840**
	Katalog06	89902022	1	**83840841**
Combination Rearlight Ecopoint LED	Katalog06	89902022	1	**83840842**
	Katalog06	89902022	1	**83840843**
	Katalog06	89902023	1	**83840849**

Lighting: Work lamps for vehicles.

Lighting: With work lamps from our Elparts range.
Our work lamps with powerful LEDs turn night into day. This professional solution's high light output optimally illuminates work areas, allowing you to concentrate on the job at hand.

Passt immer!

Sockets

Bulb plug	**62 - 63**
Lamp Base, outline lamp	**61**
Lamp Socket	**57 - 61**
Voltage Limiter, electrical system	**64**

Lamp Socket

2

Page 57

Page 57

Page 57

Page 57

Page 58

Page 58

Page 58

Page 58

Page 59

Page 59

Page 59

Page 59

Page 60

Page 60

Page 60

Page 60

Page 61

Page 61

Page 61

Page 61

» BULB SOCKETS

Bulb sockets have the simple task of providing an attachment for bulbs and supplying them with the required power. The bulb socket is therefore designated as being the part of a light which creates the mechanical and electrical contact to a socket.
As the lifespan of conventional lights is limited, bulbs must be able to be easily inserted and removed from a socket. In the following, we have listed our wide range of vehicle bulb sockets, which will lead you quickly to what you are looking for thanks to its simple catalogue system. The bulb and socket can always be ordered separately, making this another money-saving benefit.

Lamp Socket

Bulb Type: T5
W1,2W
Material: Plastic

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	W2x4,6d	9,5	Flat Plug-in Connector	5	**85785038**

Lamp Socket

Bulb Type: WY5W
W5W
W3W
W2W
Material: Plastic

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	W2,1x9,5d	12	Flat Plug-in Connector	5	**85785051**

Lamp Socket

Material: Plastic
Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	BA7s	10	Flat Plug-in Connector	10	**85785013**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
1	BA7s	10	Screw Connection	10	**85785010**

Lamp Socket

Material: Plastic
Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	BA9s kurz	12	Flat Plug-in Connector	5	**85785055**

Lamp Socket

Material: Plastic
Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	BA9s lang	12	Flat Plug-in Connector	10	**85785043**
				1000	**85785043099**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
1	BA15s	17	Screw Connection	5	**85785102**

Lamp Socket

Material: Brass

Number of Poles terminal	Socket Version	Mounting Type	DU	Article no.
1	BA15s	Screw Connection	1	**85785108**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Mounting Type	DU	Article no.
1	BA15s	Screw Connection	10	**85785157**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
1	BA15s	17	Screw Connection	5	**85785104**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	Info	DU	Article no.
1	BA15s	17	Screw Connection	with holder	5	**85785145**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Cable Length mm	DU	Article no.
1	BA15s	370	10	**85785155**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	DU	Article no.
2	BA15d	17	Screw Connection	5	**85785103**

Lamp Socket

Material: Brass

Number of Poles terminal	Socket Version	Mounting Type	DU	Article no.
2	BA15d	Screw Connection	1	**85785109**

Lamp Socket

Material: Metal

Number of Poles terminal	Socket Version	Diameter mm	Mounting Type	Info	DU	Article no.
2	BA15d	17	Screw Connection	with holder	5	**85785146**

Lamp Socket

Bulb Type: C5W
C21W
C10W
Festoon lamp

Material: Plastic

Number of Poles terminal	Socket Version	Mounting Type	DU	Article no.
2	SV8,5	Screw Connection	5	**85785150**

Lamp Socket

Bulb Type: W5W
Material: Elastomer
Plastic

Socket Version	Cable Length mm	DU	Article no.
W2,1x9,5d	60	5	**85785163**

Lamp Socket

Bulb Type: W5W
Material: Plastic

Number of Poles terminal	Socket Version	Port Type	Info	DU	Article no.
2	W2,1x9,5d	AMP-JPT	with seal	1	**85785021**
Accessories			**see**	**DU**	
Connecting Cable, light			Katalog06	1	**50290390**
			Katalog06	1	**50290391**
			Katalog06	1	**50290396**
Plug Housing (KOSTAL SLK 2,8 ELA)			Katalog04	10	**50290676**
			Katalog04	10	**50290798**
Plug Housing JT 2,8 (TE Connectivity)			Katalog04	10	**50290231**
			Katalog04	10	**50290236**

Lamp Base, outline lamp

Bulb Type: W5W
Material: Plastic

Number of Poles terminal	Socket Version	Port Type	Info	DU	Article no.
2	W2,1x9,5d	Superseal	with seal	1	**85785046**
Accessories			**see**	**DU**	
Crimp Connector Superseal (TE Connectivity)			Katalog04	50	**50253327**
Plug Housing Superseal (TE Connectivity)			Katalog04	50	**50290826**
Sealing-/Protection Plugs ELA | Superseal (AMPTyco ELA 5,5)			Katalog04	50	**50282048**

Lamp Socket

Bulb Type: P21W
Material: Plastic

Number of Poles terminal	Cable Length mm	Mounting Type	DU	Article no.
2	600	Bayonet	1	**85785417**

Bulb plug

Page 62

Page 62

Page 62

Page 63

Page 63

Page 63

Page 63

2

Bulb plug

Bulb Type: R2 (Bilux)
H4

Number of Poles terminal		DU	Article no.
3		10	**50290023**
Accessories	**see**	**DU**	
Crimp Connector	Katalog04	100	**50251241**

Bulb plug

Bulb Type: R2 (Bilux)
H4

Number of Poles terminal	Info	DU	Article no.
3	without cable with pressure spring	1	**50290319**

Bulb plug

Bulb Type: H1

Number of Poles terminal	Cable Length mm	Info	DU	Article no.
1	40 60	with cable	1	**50390297**

Bulb plug

Bulb Type: H7

Number of Poles terminal	Cable Length mm	Info	DU	Article no.
2	100 120	with cable	1	**50390299**

Bulb plug

Bulb Type: HB4

Number of Poles terminal	Socket Version	Cable Length mm	Info	DU	Article no.
2	P22d	175	with cable	1	**50390439**

Accessories	see	DU	
Bulb HB4	Page 18	1	**89901129**

Bulb plug

Bulb Type: HB3
H12

Number of Poles terminal	Socket Version	Cable Length mm	Info	DU	Article no.
2	P20d PZ20d	175	with cable	1	**50390440**

Accessories	see	DU	
Bulb H12	Page 19	1	**89901300**
Bulb HB3	Page 18	1	**89901128**

Bulb plug

Bulb Type: H8
H11
H27W/2
H16
H27W/1

Number of Poles terminal	Socket Version	Cable Length mm	Info	DU	Article no.
2	PGJ19-1 PGJ19-2 PGJ13 PG13 PGJ19-3	175	with cable	1	**50390441**

Accessories	see	DU	
Bulb H11	Page 19	1	**89901110**
Bulb H27W/2	Page 20	1	**89901302**
Bulb H8	Page 18	1	**89901168**

Voltage Limiter, electrical system

Voltage Limiter, electrical system

Permanently suppresses all dangerous voltage peaks in the vehicle electrical system, therefore protecting the entire on-board electronics

- prevents premature bulb failure
- no reverse polarity possible
- protection during assisted start-up process and when charging the battery

Cable Length mm	Mounting Type	DU	Article no.
270	Glue on	1	**95980306**
		1	**95980308**

Voltage Limiter, electrical system



The ceramic bulb connector for H7 bulbs features a diode in the positive line. This diode reduces the applied voltage by 0.8 V to an optimum bulb voltage. This protects the H7 bulb from increased voltage peaks, lengthening the service life. The light power remains unaffected. Limitation: Can only be used in vehicles with removable bulb connections. Please use in pairs.

Bulb Type: H7 **Material:** Ceramic

Cable Length mm	QU	Quantity	DU	Article no.
250	Set	2	1	**95980312**

1

2

Operations: Lamps for the workshop.

Operations: Lamps from our Elparts range.
Our rugged, versatile hand-held LED lamps make everyday workshop activities more lucid, illuminating work areas very brightly for long periods of time. This guarantees optimum lighting conditions for professional work at all angles.

Passt immer!

Article no. Index

Article no. Index **68 - 70**

Article number	Page
50290023	62
50290319	62
50295410	38-40
50295415	38-40
50295420	38,40
50295425	39
50295430	38
50390297	62
50390299	63
50390439	63
50390440	63
50390441	63
85785010	57
85785013	57
85785021	61
85785038	57
85785043	58
85785043099	58
85785046	61
85785051	57
85785055	58
85785102	58
85785103	60
85785104	59
85785108	58
85785109	60
85785145	59
85785146	60
85785150	60
85785155	59
85785157	59
85785163	61
85785417	61
89900106	39
89900108	38
89900109	39
89900113	40
89900114	39
89900206	49
89900207	49
89901009	35
89901019	28
89901020	34
89901021	15
89901034	16
89901035	31
89901040	34
89901050	16
89901051	16

Article number	Page
89901052	15
89901053	15
89901054	16
89901069	28
89901070	42
89901071	42
89901072	42
89901073	42
89901074	26
89901075	26
89901076	28
89901078	24
89901079	32
89901081	35
89901082	29
89901084	25
89901087	24
89901088	30
89901090	23
89901091	23
89901092	15
89901093	15
89901094	15
89901095	15
89901096	15
89901097	15
89901098	16
89901099	15
89901100	16,39
89901101	16,39-40
89901102	25,38-39
89901103	26
89901105	25,39-40
89901107	28
89901108	29
89901109	28
89901110	19
89901113	24
89901116	24
89901120	30
89901121	30
89901123	34
89901128	18
89901129	18
89901130	30
89901131	30
89901132	29,38-39
89901133	29,39-40
89901134	29

Article number	Page
89901135	30
89901136	29
89901140	29,38-39
89901141	28
89901142	29
89901143	28,39-40
89901145	24
89901146	25
89901147	25
89901148	28
89901150	35
89901151	35
89901152	35,39
89901153	34
89901154	34
89901155	35
89901156	35
89901157	34
89901158	35,39-40
89901159	35
89901160	35
89901162	35
89901163	31
89901164	31
89901165	31
89901166	31
89901168	18
89901169	33
89901170	34
89901171	34
89901172	33
89901173	33
89901174	33
89901175	33,38
89901176	43
89901177	33
89901178	33
89901181	26
89901182	43
89901185	25
89901186	26
89901187	25
89901190	25,38
89901191	25,39
89901192	34
89901195	27
89901196	32
89901197	32
89901198	33

Article number	Page
89901202	16,38
89901203	17
89901207	16,39
89901208	17
89901216	15
89901217	16
89901218	16
89901220	22
89901221	22
89901223	27
89901230	43
89901231	43
89901232	46,49
89901233	44
89901234	44
89901235	46,49
89901239	43
89901240	45,49
89901241	45
89901242	46,49
89901243	46
89901244	46,49
89901245	31
89901248	44
89901249	43
89901250	43
89901253	47
89901255	44
89901256	47
89901263	47
89901270	47,49
89901271	47
89901272	46,49
89901273	46,49
89901274	33
89901275	46,49
89901276	47,49
89901277	47,49
89901278	45,49
89901279	44,49
89901280	47,49
89901281	45
89901282	45,49
89901283	47,49
89901284	45,49
89901285	47
89901286	46,49
89901287	47
89901289	46

Article number	Page
89901290	16
89901291	16
89901292	43
89901295	16
89901296	19
89901297	15
89901300	19
89901301	20
89901302	20
89901303	26
89901304	26
89901305	19
89901306	17
89901307	16
89901308	20
89901309	19
89901310	27
89901311	27
89901312	23
89901313	22
89901314	23
89901315	29
89901316	28
89901317	25
89901318	26
89901319	23
89901320	21
89901321	21
89901324	27
89901325	29
89901327	32
89901328	32
89901330	21
89901331	21
89901332	17
89901333	17
89901334	18
89901335	20
89902010	50
89902011	50
89902012	51
89902020	51
89902021	51
89902022	52
89902023	52
89902024	51
89902025	51
95980306	64
95980308	64
95980312	64

Index

Index 74 - 75

Description	Page
A	
Assortment, plastic bulb	49
B	
Brake Light Insert	50
Bulb	15-35
Bulb plug	62-63
Bulbs Assortment	38-40
C	
C5W	35
D	
D1R	21
D1S	21
D2R	22
D2S	22
D3R	23
D3S	22
D4R	23
D4S	23
E	
Ecopoint	51-52
Europoint II	50-51
Europoint III	51
F	
F2	24
H	
H	30
H1	15
H10	19
H10W	31
H11	19
H12	19
H15	20
H16	20
H2	15
H20W	31
H21W	31
H27W/1	20
H27W/2	20
H3	15
H4	16
H5W	30
H6W	31
H7	16
H8	18
H9	19
HB3	18
HB4	18
HIR2	17
HS1	16
HY21W	32
I	
Indicator Insert	50,52
J	
J	30
L	
Lamp Base, outline lamp	61
Lamp Socket	57-61
Light Insert, brake/tail light	51
M	
M	34
P	
P13W	17
P15W	28
P21/4W	27
P21/5W	26
P21W	25
P27/7W	27
P27W	27
Park/Position Light Insert	51
Plastic bulb	42-47
PR21/5W	26
PR21W	26
PS19W	17
PSX24W	18

Description	Page
PY21W	25
R	
R 12V/18W	28
R10W	28
R2	17,23
R5W	29
RY10W	29
S	
S1	24
S2	24
S3	25
T	
T4W	29
T5	34
U	
U	24
V	
Voltage Limiter, electrical system	64
W	
W16W	33
W21/5W	32
W21W	32
W3W	33
W5W	33
WY21W	32

KATALOG04
INSTALLATION

KATALOG06
LIGHTING



KATALOG
TOOLS



KATALOG13
ELECTRICS



BROSCH
HIGHLIGHTS

KATALOG15
ATTACHMENT PARTS

KATALOG14
WORKLIGHTS

KATALOG81
PLIERS/RELEASE TOOLS



BROSCH116
TRUCK+TRAILER



KATALOG12
REPSOLUTIONS

KATALOG09
BULBS

KATALOG82
MEASURING TECHNOLOGY

BROSCH144
AGRICULTURE

KATALOG38
KOSTAL

KATALOG83
BATTERY MANAGEMENT

KATALOGSB
SHOP TO GO

KATALOG84
PRACTICAL WORKSHOP TOOLS

BROSCH1000
ASSORTMENTS

BROSCH24
DIAGNOSE ON DEMAND

BROSCH151
A/C SERVICING

BROSCH143
AIRGUARD

HERTH+BUSS

ELPARTS | JAKOPARTS

Concentrated technical know-how

from parts specialists Herth+Buss

Even the best experts in the workshop sometimes reach their limits. With our tutorials, our Workshop-Buddies share their expertise with you and help to make your daily work as easy and efficient as possible. Of course, practical tips and tricks are also included. Subscribe our channel and never miss another tutorial from us!

Your Workshop-Buddies
https://www.youtube.com/user/Fahrzeugteile

youtube.com/Fahrzeugteile

HERTH+BUSS

Herth+Buss Fahrzeugteile GmbH & Co. KG
Dieselstraße 2-4
DE-63150 Heusenstamm

Herth+Buss France SAS
ZA Portes du Vercors, 270 Rue Col de La Chau
FR-26300 Châteauneuf-sur-Isère

Herth+Buss Belgium SRL
Rue de Fisine 9
BE-5590 Achêne

Herth+Buss UK Ltd.
Unit 1 Dreadnought Business Park
GB-DY5 4TP Brierley Hill

Herth+Buss Iberica S.L.
C/ Altzutzate, 44 (Polígono de Areta)
ES-31620 Huarte Navarra

4 026736 438005 Katalog09EN | 06-2022

HERTH+BUSS